Life is better with Bosch

2007 home appliances full product line

BOSCH
Invented for life

From the beginning, Bosch has been committed to making your life better through innovating new technologies, upholding the highest standards of quality craftsmanship, and employing sustainable business practices and the highest respect for the environment. Principles that guide Bosch in its every endeavor.

In our efforts to do everything possible to protect our planet's fragile environment, we have developed dishwashers that use less water. Laundry systems that reduce energy usage by up to 72%, and water usage by up to 76% compared to conventional models. And all the while offering state-of-the-art features and unrivalled functionality that make your life better and more convenient.

Today, Bosch operates in almost 50 countries on every continent through subsidiaries and associated companies. All around the world, the Bosch name stands for innovation, quality and product diversity. Our dedication to these causes is obvious in our products, which have been recognized by J.D. Power and Associates, a leading consumer publication, and backed by the Good Housekeeping Seal of Approval. Just further evidence that Bosch is committed to quality, innovation and customer satisfaction, and that our premium appliances are the ideal choice for your family.

A tradition of **commitment.**

Dishwashers Page 02
Integra® Dishwashers Page 18
Evolution™ Dishwashers Page 19
Cooking Page 24
Ovens, Warming Drawers & Microwaves Page 26
Benvenuto® Built-In Coffee Machines Page 36
Cooktops Page 38
Ventilation Page 50
Evolution and Integra Ranges & OTR Page 58
Refrigeration Page 76
Integra Refrigeration Page 78
Evolution Refrigeration Page 88
Laundry Page 94
Ne**xx**t® Laundry System Page 96
A**xx**is® Laundry Systems Page 112
Small Appliances Page 118

Can a dishwasher make your house a **better** place to live?

Model shown: Integra® 800 Series (SHX98M09UC)

Absolutely, if it's a Bosch. Bosch dishwashers are the only ones to offer the unique combination of nearly silent operation, powerful features that leave dishes sparkling, intelligent functions that work around your lifestyle and an efficient operation that saves both water and electricity. All wrapped in a contemporary design that's as beautiful as it is functional. **Invented for life.**

Model shown: Integra® 800 Series (SHX98M05UC)

The new sound of **silence.**

Bosch dishwashers are the quietest. When in action, it's the noise factor, or rather the lack of it, that'll draw your attention. Our dishwashers are the strong, silent type. They outperform your expectations and the competition–constantly earning top rankings from leading consumer publications and test labs worldwide. With a suspended two-pump motor system, vibrations and noise are drastically reduced. And with heavy-duty bitumen coated metal and cotton-fiber sheet insulation, the noise is basically buried. Bosch's dishwashers are as discreet as they are powerful.

J.D. Power and Associates ranked Bosch "Highest in Customer Satisfaction with Dishwashers."

Bosch received the highest numerical score with Dishwashers in the proprietary J.D. Power and Associates 2006 Major Home Appliance Study.℠ Study based on 12,656 total responses measuring 11 brands and measures opinions of consumers during the previous 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in July and September 2006. Your experiences may vary. Visit jdpower.com.

Two-Pump Motor System

By using two small pumps to individually wash and drain instead of a single large one, vibration and noise are dramatically reduced. Smaller parts and a more contained motion contribute an important part to our sound-reduction system, leaving you amazed that the dishwasher is even on.



Suspension Motor

The more isolated a motor is, the less its vibrations can be transferred. So we've suspended our two-pump motor to help absorb and minimize any vibration and noise to the housing, as it is absorbed by rubber hammocks, letting you enjoy your time in the kitchen whether the dishwasher is running or not.



Solid Molded Base

Preventing noise and leaks are what makes a good dishwasher a great one. That's why we're the only U.S. manufacturer to give all of our dishwashers a solid molded base. The single-piece base effectively contains sound, and prevents leaks by automatically shutting down if water is detected in the base.

Insulation*

Noise is also buried beneath the three layers of insulation inside our near-silent dishwashers. Metal, cotton fiber and heavy-duty bitumen sheets capture and dampen sound to create a decibel level no louder than raindrops.

*Insulation package varies by model.

INFOLIGHT™

Our top models are so quiet, you may not even know they're on. That's why we designed a light that beams onto the floor when it's running.

Cleaning **efficiency** meets energy efficiency.

Cleaning with a conscience. That's what Bosch dishwashers do. They are the most efficient line of dishwashers assembled in the United States thanks to features like the advanced **ECO**SENSE™ Wash Management System that measures soil level and adapts water consumption and heat as needed. Also, the cavities of our dishwashers are made of stainless steel, which, besides looking very sleek, makes drying more efficient. Your dishes benefit from it, and so does the environment. Select models even feature a Half Load wash option to further reduce energy and water waste. And Bosch is the only manufacturer whose entire line of dishwashers exceeds the more stringent 2007 ENERGY STAR® requirements.

ECOSENSE

An advanced sensor system determines the soil level in the wash water and automatically deletes fresh water fills if they're not needed, saving you time and money while cutting energy usage by 20%.

ECOOPTION™

This cutting-edge feature adjusts water temperature and cycle length for optimal efficiency, allowing you to reduce energy usage by up to 25% with just the push of a button.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Integra® and Evolution™ Dishwashers are backed by the *Good Housekeeping* Seal of Approval — a two-year limited warranty.



Flow Through Water Heater

In conventional dishwashers, water falls randomly onto an exposed heating element. And since not all the water touches the heating element, this results in slower and less energy-efficient heating. Bosch dishwashers, on the other hand, channel 100% of the water through tighter coils in a confined heating chamber, which heats the water quickly and efficiently up to 161 degrees Fahrenheit.

Optional Half Load Wash

Use this option when washing small, lightly soiled loads that fill half or less of the dishwasher's capacity on both the top and bottom racks. It dramatically reduces energy and water consumption, and can be used with the Power Scrub Plus, Regular and Auto Wash cycles.

Condensation Drying

Built with a solid stainless steel tub, Bosch dishwashers utilize condensation drying to save you money on your energy bills. Condensation drying works by heating the dishes with hot water from the final rinse. Moisture condenses on the cool stainless steel tub and is drained, so your clean dishes dry without an energy-wasting active drying element.

ENERGY STAR® Qualified and NSF Certified

Proving once again that Bosch is committed to efficiency, all of our dishwashers are ENERGY STAR® qualified. They also boast NSF certification for 4 out of 11 wash cycles, ensuring your dishes are 99.99% bacteria free at the end of each cycle.

Model shown: Evolution™ 800 Series (SHE68M05UC)

Model shown: Integra® 800 Series 18" (SRV5303 with custom panel)

Safety always comes first.

You expect a lot from your kitchen appliances. State-of-the-art performance. Contemporary design. But performance and design mean nothing without safety. That's why Bosch appliances are engineered with a host of exclusive features from child locks to leak protection devices to ensure the safety of yourself and your family. When you choose Bosch, you can rely on years of worry-free operation, and that's something that delivers valuable peace of mind.

AQUASTOP® **Leak Protection**

Bosch is the only U.S. manufacturer to offer a high-tech leak protection system like **AQUA**STOP in their whole line of dishwashers. A precisely engineered tub and sensor system detects leaks in the solid molded base of the dishwasher, shuts down operation and automatically pumps out water before contact with floors. This eliminates the risk of costly water and mold damage.

CHILDLOCK

The latch lock, once activated, prevents children from opening the dishwasher door while the control lock prevents changes to the wash program.

PERFECTDOOR™ with **AUTO**CLOSE™

Falling dishwasher doors are a thing of the past. Bosch specially engineered **PERFECT**DOOR to stay in a fixed position when it is open more than 10 degrees. This increases safety by eliminating the possibility of the door dropping open or springing closed suddenly.

No Exposed Heating Element

Because our Flow Through Water Heater is not located in the tub and has no exposed heating element, it prevents plastic items on the bottom rack from melting. It has the added benefit of protecting you from accidental burns during unloading.

Performance, as in superior.

A dishwasher needs to get your dishes clean. Really clean. Bosch dishwashers are engineered to perform at the highest levels, to spotlessly remove even the toughest soiling. Think baked-on spinach. At the same time, smart technologies ensure that Bosch power is directed in a way that smartly manages energy and water consumption, while protecting delicate items, preserving their brilliant shine wash after wash, year after year.

ECOSENSE™ Wash Management System, standard on all models, uses an advanced sensor system to assess the level of soil in the wash water. It then determines whether more fresh water fills are necessary, deleting the cycle when appropriate. This saves time and money while cutting energy usage by up to 20%. To save even more, variable spray pressure adjusts the amount of water so that it's not heated unnecessarily.

Select Bosch dishwashers feature a load sensor that automatically measures the number and type of dishes in each load, adjusting water temperature and cycle time to achieve perfect results while minimizing water and energy usage.

Auto Super Wash

Simply select the Auto Super Wash program, and the dishwasher analyzes the soil level of your dishes and adjusts the wash temperature to between 130 and 150 degrees. Analyzing the clarity of the wash water, the sensor system also determines whether or not a second fresh water cycle is needed, ensuring your dishes get clean while avoiding unnecessary refills to conserve water.

Auto Delicate Wash

This automated wash setting is for use with your fragile china, allowing you to get it perfectly clean without the hassle of hand washing, or the worry of damaging it in the dishwasher. This setting is delicate on your dishes, keeping them in perfect condition, and ready for your next special occasion.

QUICKWASH

Our fastest cycle yet, this feature allows you to wash fourteen place settings in just 30 minutes. It's perfect for times when you need to wash a lightly soiled load quickly.

Extreme Wash

Our toughest cycle, the Extreme Wash was designed to wash away even hard-to-remove food. It adjusts the amount of water and increases the wash and rinse temperature to thoroughly clean and sanitize your dishes.

#1 Eight Times in a Row

A leading consumer publication has ranked Bosch dishwashers #1 eight times in a row.

Models shown: Integra® 800 Series (SHX55M05) left, Integra 800 Series (SRV53 18" with SRZ2045UC stainless steel door assessory kit) right

Load Sensor
Select Bosch dishwashers offer a load sensor that automatically measures the number and type of dishes in each load, adjusting water temperature and cycle time to achieve perfect results while minimizing water and energy usage.

Model shown: Integra® 800 Series (SHX98M09UC)

Automation. It could not be simpler.

At Bosch, our commitment is to enhance your quality of life by making your household chores as simple and hands-off as they can be. So it is only appropriate that we would be leading the way in making dishwashers fully automatic. One touch is all it takes for our top-of-the-line models to automatically sense the level of soiling, the size of your load and the cleaning progress made throughout the wash process. They analyze the results, then continuously adjust water temperature, duration of the wash cycle and even the amount of water needed.

Variable Spray Pressure
This feature adjusts water pressure based on the cycle you select. Lower, gentler pressure is used for "Delicate" or "Glass Care" cycles, while high pressure is used for modes such as "Power Scrub Plus," "Auto Super Wash" and "Extreme Wash."

Optional Delay Start
With a nineteen or twenty four-hour timer, Bosch dishwashers work on your schedule. Program them to start once guests leave or after you've drifted off to sleep. Wait until you're out of the house, or run it in off-peak evening hours for even greater savings on your energy bill.

OPTIDRY™
Multiple sensors automatically detect the presence of a rinse agent and measure its level in the dispenser, automatically adjusting the final temperature and wash cycle for spotless drying results with each wash.

Convenience is of the essence.

Everything has been thought of when it comes to Bosch dishwashers. Like having an adjustable top rack that allows you to safely put tall stemware in without having to lay them flat. With our **TALL**TUB, we've created more interior room, maximizing use of space, so dinner plates can be placed in both top and bottom racks. And should you want to make your dishwasher invisible, you can outfit it with a custom panel that matches the neighboring cabinets. Integrated controls on the upper door rim also allow you to seamlessly blend your dishwasher with your cabinetry, to give you an uninterrupted kitchen design.

18" Dishwasher
The 18" Integra Dishwasher opens up an entire new world of possibilities. This design lets you enjoy state-of-the-art Bosch dishwashing technology virtually anywhere: small urban kitchens, mini bars, or even as an extra unit in your full-sized kitchen. And every 18" Integra complies with ADA (American Disabilities Act) height guidelines.

Platinum Premium Racks
High-quality racks are coated with platinum nylon to protect your delicate dishware. And for optimal space efficiency, eight rows of flip-down tines allow for customized layout and a 25% larger silverware basket holds up to 6 place settings.

Extra Capacity
More capacity means more convenience. So Bosch dishwashers have extra-large interior space, allowing you to fit 14 place settings rather than the industry standard of 12.

RACKMATIC®
To accommodate large or oddly shaped dishes, **RACK**MATIC allows you to raise or lower the premium upper rack at the touch of a lever (even when full), giving you up to 14" of space on the bottom or 10" on top.

Extra Tall Item Sprinkler
Hand washing large items becomes a thing of the past thanks to this handy innovation. Simply remove the top rack and place your serving platters, baking trays, hood filters and refrigerator shelves that are up to 22" high in the bottom rack. Start the machine, and the sprinkler evenly distributes water across every large item, for sparkling-clean results every time.

Stainless Steel TALLTUB
The specially engineered Bosch **TALL**TUB is not only space efficient, but energy efficient. Allowing up to an incredible 22" of usable space when you remove the top rack, its high-quality stainless steel construction retains heat better than plastic tubs, which helps dry dishes faster and more efficiently.

CLEARTOUCH®
With this exclusive design, all cycles are readily accessible through a smooth, flush control panel that is as easy to clean as it is to operate.

Models shown: Integra® 800 Series (SRV53 18" with SRZ2045UC stainless steel door accessory kit), left and right

Accessories to fit your lifestyle.

Even when it comes to doing the dishes, everyone has different needs. So we offer accessories for every lifestyle. From a convenient removable wine glass rack to free you from the chore of hand washing extra wine glasses, to dishwasher door frames, door-frame kits and handles that help you perfectly coordinate your dishwasher with your kitchen. We've thought of your every need.

SGZ1000UC

Extra-Large Knife Rack

By loading long-handled items horizontally, you prevent chipping and scratching, while keeping knives in a safer position, out of unwanted reach.

SGZ2004UC

Glass Rack Insert

The extra space of the glass rack insert allows you to load additional stemware or drinking glasses, saving the upper rack for a more efficient configuration of dishes. (Can only be used in the Premium and Mid level lower racks.)

SGZ1005UC (Optional door handle polished and round)



SGZ1006UC (Optional door handle flat and matte)

Additional Accessories	Model Number
Extra-Large Knife Rack	SGZ1000 UC
Stainless Steel Handle (SHV series only) Matches HBL/N 500 & 800 Series Ovens	SGZ1007 UC
Glass Rack Insert for Bottom Racks (max. height 13.5") Can be used in Premium and Mid Lower Racks only	SGZ2004 UC
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches HBL/N 500 & 800 Series Ovens	SGZ1006 UC
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches Discontinued HBL/N 600 Series Ovens	SGZ1005 UC
Accessory Hinge Kit (SRV series only) For US Counter Height Installation	SGZ3022
Stainless Steel Door Accessory (SRV series only) With Accessory Hinge Kit	SGZ2045

Colors and dimensions

Integra® Colors

Stainless Steel

Black

White

Evolution™ Colors

Stainless Steel

Black

White

Custom Panel Installation (SHV Series Only)

Panel dimensions–integrated models. The height and width of the panel door will equal the height and width of a single door for a 24" base cabinet front (door and drawer head). For custom-made panels and framed cabinet styles, a 23-3/8" width is recommended.

Panel thickness 3/4."

Panel weight: min. 9 lbs.–max. 21 lbs. Toe-kick height can range from 4" to 7."

IMPORTANT: Handles are not supplied with dishwasher. See page 16.

One-piece Cabinet Panel Installation

The minimum height for the one-piece cabinet panel is 27-1/4." The maximum height for the one-piece cabinet panel is identical to the height of the adjacent cabinet front from the bottom of the countertop to the bottom of the cabinet door. (Leave 1/4" space between countertop and dishwasher.)

Two-piece Cabinet Panel Installation

The minimum height for the drawer head panel is 3." The maximum height for the drawer head panel is identical to the height of the adjacent cabinet drawer head height. The minimum combined height for the lower door panel and the upper drawer head panel is 27-1/4."

The maximum combined height for the lower door panel and drawer head panel is identical to the height of the adjacent cabinet front from the bottom of the countertop to the bottom of the cabinet door. (Leave 1/4" space between countertop and dishwasher.)

Note: SHX and SHE models do not accept custom panels.

Dimensions for planning only. For details, see installation manual, or visit www.boschappliances.com. Specifications subject to change without notice.

SHX/SHV/SHE Dimensions:



SRV Dimensions:



†Maximum height of 36" possible with toe-kick from cabinet supplier.

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

Integra® Dishwashers

Series	Silence Rating	Racks
800 Series	42–48 dB	Premium

Model Number SHX98

Performance	Convenience
• **ECO**SENSE™ Wash Management System	• **PERFECT**DOOR™ w/**AUTO**CLOSE™
• 9 Wash Cycles	• **RACK**MATIC®
• **ECO**OPTION™	• 24 Hour Delay Start
• **QUICK**WASH	• Red LED **INFO**LIGHT™
• Extreme Wash	• Half Load Option
	• Extra Tall Item Sprinkler

Model Number SHX68

Performance	Convenience
• **ECO**SENSE Wash Management System	• **PERFECT**DOOR w/**AUTO**CLOSE
• 6 Wash Cycles	• **RACK**MATIC
• **ECO**OPTION	• 19 Hour Delay Start
• **QUICK**WASH	• Red LED **INFO**LIGHT
	• Half Load Option
	• Extra Tall Item Sprinkler

Model Number SRV53 18"

Performance	Convenience
• **ECO**SENSE Wash Management System	• **PERFECT**DOOR w/**AUTO**CLOSE
• 5 Wash Cycles	• **RACK**MATIC
• **QUICK**WASH	• 19 Hour Delay Start
	• Extra Tall Item Sprinkler

Series	Silence Rating	Racks
500 Series	48–51 dB	Mid

Model Number SHX55

Performance	Convenience
• **ECO**SENSE Wash Management System	• **PERFECT**DOOR w/**AUTO**CLOSE
• 5 Wash Cycles	• **RACK**MATIC
• **ECO**OPTION	• 19 Hour Delay Start
• **QUICK**WASH	• Red LED **INFO**LIGHT
	• Half Load Option

Model Number SHX45

Performance	Convenience
• **ECO**SENSE Wash Management System	• **PERFECT**DOOR w/**AUTO**CLOSE
• 4 Wash Cycles	• **RACK**MATIC
• **QUICK**WASH	• 19 Hour Delay Start
	• Red LED **INFO**LIGHT

Series	Silence Rating	Racks
300 Series	54–57 dB	Standard

Model Number SHX43, SHX33

Performance	Convenience
• **ECO**SENSE Wash Management System	• **PERFECT**DOOR w/**AUTO**CLOSE
• ≥3 Wash Cycles	• Adjustable Racks

Evolution™ Dishwashers

Series	Silence Rating	Racks
800 Series	42–45 dB	Premium

Model Number SHE98

Performance	Convenience
• **ECO**SENSE™ Wash Management System • 9 Wash Cycles • **ECO**OPTION™ • **QUICK**WASH • Extreme Wash	• **PERFECT**DOOR™ w/**AUTO**CLOSE™ • **RACK**MATIC® • 24 Hour Delay Start • Half Load Option • Extra Tall Item Sprinkler

Model Number SHE68

Performance	Convenience
• **ECO**SENSE Wash Management System • 6 Wash Cycles • **ECO**OPTION • **QUICK**WASH	• **PERFECT**DOOR w/**AUTO**CLOSE • **RACK**MATIC • 19 Hour Delay Start • Half Load Option • Extra Tall Item Sprinkler

Series	Silence Rating	Racks
500 Series	48–51 dB	Mid

Model Number SHE55

Performance	Convenience
• **ECO**SENSE Wash Management System • 5 Wash Cycles • **ECO**OPTION • **QUICK**WASH	• **PERFECT**DOOR w/**AUTO**CLOSE • **RACK**MATIC • 19 Hour Delay Start • Half Load Option

Model Number SHE45

Performance	Convenience
• **ECO**SENSE Wash Management System • 4 Wash Cycles • **QUICK**WASH	• **PERFECT**DOOR w/**AUTO**CLOSE • **RACK**MATIC • 19 Hour Delay Start

Series	Silence Rating	Racks
300 Series	54–57 dB	Standard

Model Number SHE43

Performance	Convenience
• **ECO**SENSE Wash Management System • 4 Wash Cycles	• **PERFECT**DOOR w/**AUTO**CLOSE • 19 Hour Delay Start • Adjustable Racks

Model Number SHE33

Performance	Convenience
• **ECO**SENSE Wash Management System • ≥3 Wash Cycles	• **PERFECT**DOOR w/**AUTO**CLOSE • Adjustable Racks

Integra®
Specifications

Model Number	**800 Series** SHX98M0_UC SHV98M03UC (Fully Integrated)	**800 Series** SHX68M0_UC SHV68M03UC (Fully Integrated)	**800 Series** SRV53C03UC (18") (Fully Integrated)
Core Features			
Color Options	SS/FI/SS w/Display	B/W/SS/FI/SS w/Display	FI
Stainless Steel **TALL**TUB	•	•	•
Two-Pump Motor System	•	•	•
Suspension Motor	•	•	•
Triple Filtration System	•	•	•
Flow Through Water Heater	•	•	•
Five Level Wash	•	•	•
Condensation Drying	•	•	•
Nylon Coated Racks	•	•	•
NSF Certified Units and Cycles	•	•	•
Electronic Controls	•	•	•
ENERGY STAR® qualified	•	•	•
Silence			
dBA	42 dB	45 dB	48 dB
Energy			
kWH	190	234	315
Wash Cycles	9	6	5
Power Scrub Plus (160°)			•
Regular Wash (140°)	•	•	•
AUTOWASH™ (130°–150°)	•	•	
Delicate Wash (130°)			•
QUICKWASH (104°)	30 Mins	30 Mins	35 Mins
Rinse & Hold	•	•	•
Auto Super Wash/Auto Plus	•	•	
Auto Delicate Wash	•	•	
Extreme Wash	•		
Glass Care	•		
Enviro Wash	•		
Options	2	3	1
Half Load		•	
ECOOPTION™		•	
Sanitize	•		
Delay Start	1–24 Hrs.	1–19 Hrs.	1–19 Hrs.
Wash Sensor			
ECOSENSE™	•	•	•
Turbidity	•	•	•
Load Size	•		
Upper Rack	Premium	Premium	Premium
Adjustability	**RACK**MATIC®	**RACK**MATIC	**RACK**MATIC
Place Setting Capacity	14	14	9
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	2 Half Flip-Down Rows
Cup Shelf	2	2	2
Fine Cutlery and Silver Tray	•	•	
Lower Rack	Premium	Premium	Premium
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	4 Half Flip-Down Rows
Silverware Basket	Flexible	Flexible	Flexible
Silverware Basket Cover	•	•	•
Mezzanine Rack	•	•	
Display			
LED			
Multi-Function LED		•	•
Multi-Function Text LCD Display (Top)	•	•	
Remaining Time	•	•	•
Program Sequence Indicator	•	•	
INFOLIGHT™	•	•	
Sanitized Indicator Light	•	•	•
Rinse Aid Indicator Light	•	•	•
Other			
AQUASTOP®	•	•	•
PERFECTDOOR™ with **AUTO**CLOSE™	•	•	•
Extra Tall Item Sprinkler	•	•	
Detergent and Rinse Aid Dispenser	•	•	•
End of Cycle Sound	•	•	•
OPTIDRY™	•	•	
CLEARTOUCH®	•		
Sturdy Door	•	•	

B – Black, W – White, SS – Stainless Steel, FI – Fully Integrated, TI – Titanium

500 Series
SHX55M0_UC

500 Series
SHX45M0_UC
SHV45M03UC (Fully Integrated)

300 Series
SHX43M0_UC

300 Series
SHX33M0_UC

B/W/SS	B/W/SS/FI/Titanium	B/W/SS	B/W/SS
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
48 dB	51 dB	54 dB	57 dB
259	259	259	259
5	4	4	3
•	•	•	•
•	•	•	•
•	•	•	
•			
30 Mins	30 Mins	30 Mins	
			•
3	2	1	0
•	•		
•			
1–19 Hrs.	1–19 Hrs.	1–19 Hrs.	
•	•	•	•
•	•	•	•
Mid	Mid	Standard	Standard
RACKMATIC	**RACK**MATIC	Manual	Manual
14	14	14	14
2 Half Flip-Down Rows	2 Half Flip-Down Rows	1 Half Flip-Down Row	1 Half Flip-Down Row
2	2	2	2
Mid	Mid	Standard	Standard
4 Half Flip-Down Rows	4 Half Flip-Down Rows		
Flexible	Flexible	Standard	Standard
•	•	•	•
			•
•	•	•	
•	•	•	
•	•		
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•		

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

Evolution™
Specifications





Model Number	**800 Series** SHE98M0_UC	**800 Series** SHE68M0_UC	**800 Series** SHE58C0_UC
Core Features			
Color Options	SS	B/W/SS	B/W/SS
Stainless Steel **TALL**TUB	•	•	•
Two-Pump Motor System	•	•	•
Suspension Motor	•	•	•
Triple Filtration System	•	•	•
Flow Through Water Heater	•	•	•
Five Level Wash	•	•	•
Condensation Drying	•	•	•
Nylon Coated Racks	•	•	•
NSF Certified Units and Cycles	•	•	•
Electronic Controls	•	•	•
ENERGY STAR® qualified	•	•	•
Silence			
dBA	42 dB	45 dB	48 dB
Energy			
kWH	190	234	290
Wash Cycles	9	6	5
Power Scrub Plus (160°)			
Regular Wash (140°)	•	•	•
AUTOWASH™ (130°–150°)	•	•	•
Delicate Wash (130°)			•
QUICKWASH (104°)	30 Mins	30 Mins	30 Mins
Rinse & Hold	•	•	
Auto Super Wash/Auto Plus	•	•	•
Auto Delicate Wash	•	•	
Extreme Wash	•		
Glass Care	•		
Enviro Wash	•		
Options	2	3	2
Half Load		•	•
ECOOPTION™		•	
Sanitize	•		
Delay Start	1–24 Hrs.	1–19 Hrs.	1–19 Hrs.
Wash Sensor			
ECOSENSE™	•	•	•
Turbidity	•	•	•
Load Size	•		
Upper Rack	Premium	Premium	Premium
Adjustability	**RACK**MATIC®	**RACK**MATIC	**RACK**MATIC
Place Setting Capacity	14	14	14
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows
Cup Shelf	2	2	2
Fine Cutlery and Silver Tray	•	•	
Lower Rack	Premium	Premium	Premium
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	8 Half Flip-Down Rows
Silverware Basket	Flexible	Flexible	Flexible
Silverware Basket Cover	•	•	•
Mezzanine Rack	•	•	
Display			
LED			
Multi-Function LED		•	•
Multi-Function Text LCD Display (Front)	•		
Remaining Time	•	•	•
Program Sequence Indicator	•	•	•
INFOLIGHT™			
Sanitized Indicator Light	•	•	•
Rinse Aid Indicator Light	•	•	•
Other			
AQUASTOP®	•	•	•
CHILDLOCK	Latch	Latch	Latch
PERFECTDOOR™ with **AUTO**CLOSE™	•	•	•
Extra Tall Item Sprinkler	•	•	•
Detergent and Rinse Aid Dispenser	•	•	•
End of Cycle Sound			
OPTIDRY™	•	•	•
CLEARTOUCH®	•		
Sturdy Door	•	•	

B – Black, W – White, SS – Stainless Steel

500 Series SHE55M0_UC	**500 Series** SHE45M0_UC	**300 Series** SHE43M0_UC	**300 Series** SHE33M0_UC
B/W/SS	B/W/SS	B/W/SS	B/W/SS w/Black Control
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
48 dB	51 dB	54 dB	57 dB
259	259	259	259
5	4	4	3
•	•	•	•
•	•	•	•
•	•	•	
•			
30 Mins	30 Mins	30 Mins	
			•
3	2	1	0
•	•		
•			
1–19 Hrs.	1–19 Hrs.	1–19 Hrs.	
•	•	•	•
•	•	•	•
Mid	Mid	Standard	Standard
RACKMATIC	**RACK**MATIC	Manual	Manual
14	14	14	14
2 Half Flip-Down Rows	2 Half Flip-Down Rows	1 Half Flip-Down Row	1 Half Flip-Down Row
2	2	2	2
Mid	Mid	Standard	Standard
4 Half Flip-Down Rows	4 Half Flip-Down Rows		
Flexible	Flexible	Standard	Standard
•	•	•	•
			•
•	•	•	
•	•	•	
•	•	•	•
•	•	•	•
•	•	•	•
Control	Control	Control	Control
•	•	•	•
•	•	•	•
•	•		

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply. See manufacturer's limited warranty for details.

Cooking **solutions** that fit the way you live.

Model shown: Gas Cooktop (NGP 745)

You lead a busy life, and we understand that the way you cook may change from moment to moment. One night you might whip up something simple for the kids after a long day at work. Other days, you'll prepare a romantic dinner for just the two of you. You may even entertain friends on the weekend with a multi-course gourmet feast. No matter how you like to cook, Bosch makes preparing your favorite meals easier and more enjoyable with advanced kitchen appliances that offer state-of-the-art technology, ingenious features and handsome contemporary designs. **Invented for life.**

Models shown: Double Oven 800 Series (HBL8650) and Warming Drawer (HWD3050)

No other oven **measures** up.

Bosch introduces built-in ovens worth getting excited about. With the greatest capacity on the market and new safety and efficiency-oriented features, they deliver an impressive package that fulfills your expectations for premium home appliances. When we say its ultra-fast preheat prepares the oven to be cooking-ready in under 7 minutes, it really will be. Our ovens effortlessly uphold the Bosch tradition of quality and reliability, since we only use the highest-quality materials and build every unit right here in the U.S.A.

#1 In Capacity

At 4.7 cubic feet, our oven is the largest on the market. Plus, with 6-way rack adjustability, you can cook for the whole family simultaneously. An expansive viewing window and bright halogen lighting system make monitoring the progress of your meal easier than ever.

Telescopic Rack

This full-extension rack glides easily on ball bearings and extends over the open oven door for complete access to your food, allowing you to baste large cuts of meat and poultry safely without reaching into the oven. The telescopic rack comes standard on select models and is also available as a separate accessory.



High-Quality Rack Supports

Bosch's heavy-duty rack supports can hold even the heaviest dishes while allowing racks to glide more smoothly than traditional ribbed oven cavities. They make it easy to change racks or mount telescopic racks, and bring a modern, sleek look to the kitchen.

Recessed Heating Element

A recessed top heating element and a fully concealed bottom heating element allow for greater interior capacity, unprecented safety when removing dishes, and extremely easy cleaning.

Convenience meets **quality.**

Only when quality, performance and efficiency come together is an oven truly a Bosch. And our unwillingness to compromise on any of these principles is obvious, as you can see from their sleek, high-quality glass touch controls, available Genuine European Convection for superior cooking performance, and beautiful flush-to-cabinet design for a built-in look. Plus, every Bosch oven is 100% quality tested before shipping. It's this kind of attention to detail and impeccable craftsmanship that make Bosch ovens the perfect cook's accessory, promising years of outstanding performance.



Genuine European Convection

This feature offers a powerful 2000-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. This translates into faster cooking and prevents crossover of flavors when cooking an entire meal at once.

True Glass Touch Controls

Bosch ovens offer high-quality smooth glass touch controls that are as easy to use as they are beautiful. And operating our ovens is simple, with up to 16 heating modes, so the perfect program is available at your fingertips, no matter what dish you want to cook.

Fastest Preheat

When speed is of the essence, Bosch ovens can help. With the fastest preheat on the market, our ovens can be ready to cook in less than seven minutes. This, combined with the convection mode, allows you to substantially reduce overall cooking time. Also, fast preheat is available for up to six cooking modes.

Fastest Self-Clean Cycle

Our built-in ovens' 2-hour self-clean cycle, the industry's best, makes the kitchen a safer place and delivers improved energy efficiency by running for the shortest period of time possible. Plus, it allows you to use your time in the kitchen for cooking, rather than cleaning.

Model shown: 300 Series Single Oven (HBL3350)

Model shown: 800 Series Combination Oven (HBL8750)

Ultimate cooking combinations.

At last, microwaves that won't be destined to hide inside a cabinet, and warming drawers that don't appear as if they were an afterthought to the rest of the kitchen. Bosch built-in microwaves and warming drawers are the ultimate marriage of stylish form and cooking function. For easy installation, microwaves and warming drawers are available in a variety of configurations, and can fit into a single cutout. So you can easily outfit your kitchen to help you perform cooking or warming tasks with ultimate ease and sophistication.

Multi-Sensor Cooking Modes

Our sensor cooking modes measure the amount of humidity in the oven, then automatically adjust cooking time for the type of food being cooked. This standard feature in our built-in microwaves adds a new level of performance and sophistication to your cooking.

Convection Microwave

Bosch convection microwaves offer you faster and more even cooking results than traditional microwaves, and also offer the advantage of having a second convection oven available. So there are no limits to what you can do in the kitchen.

Warming Drawer

For the ultimate in convenience and functionality, Bosch offers a stylish warming drawer with four temperature settings for prewarming dishes, heating rolls or keeping food hot for late arrivals. This sophisticated addition to the kitchen features a hidden touch control panel inside the drawer for a beautiful, seamless appearance.

Designs that Coordinate

Bosch warming drawers are designed to match perfectly with Bosch ovens to complete your kitchen. Plus, they offer a touch control and timer with color-matching display, enormous capacity and lower sidewalls for easy access to food, for superior performance and convenience.

Oven
Specifications

Model Number	800 Series HBL8750UC	800 Series HBL8650UC	800 Series HBL8450UC	500 Series HBL57x0UC	500 Series HBL56x0UC	500 Series HBL54x0UC
Type	30" Combination	30" Double	30" Single	30" Combination	30" Double	30" Single
Color Options	SS	SS	SS	B/W/SS	B/W/SS	B/W/SS
Microwave Configuration**	Convection			Traditional		
Appearance						
Flush-to-Cabinet Design	•	•	•	•	•	•
Touch Control	•	•	•			
Ergonomic Retractable Dials				•	•	•
Ergonomic Dials						
Amber Colored Full Text Display	•	•	•	•	•	•
Amber Colored Display						
Performance						
Genuine European Convection	•	Upper / Lower	•	•	Upper	•
Speed Convection	•	Upper	•	•	Upper	•
Convection Bake, Broil, Roast	•	Upper / Lower	•	•	Upper	•
Bake, Broil, Roast	•	Upper / Lower	•	•	Upper / Lower	•
Pizza, Pie	•	Upper / Lower	•	•	Upper	•
Recipes	•	Upper / Lower	•	•	Upper	•
Fast Preheat	•	Upper / Lower	•	•	Upper	•
Meat Probe	•	Upper	•	•	Upper	•
Self Clean Mode	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle
Sabbath Mode	•	•	•	•	•	•
Panel Lock	•	•	•			
Convenience						
Ball Bearing Telescopic Racks	1	1	1			
Standard Racks	2	5	2	3	5	3
Porcelain Self Clean Rack Supports	•	•	•	•	•	•
Porcelain Broil Pan	•	•	•	•	•	•
Cavity Lighting	3 Halogen	3 Halogen per Cavity	3 Halogen	2	2 per Cavity	2
Concealed Bake Element	•	•	•	•	•	•
Recessed 10 Pass Broil Element	•	•	•	•	•	•
Overall Oven Capacity*	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.
Technical						
Convection Element Wattage	2,000	2,000	2,000	2,000	2,000	2,000
Broil Element Wattage	3,600	3,600	3,600	3,600	3,600	3,600
Bake Element Wattage	2,000	2,000	2,000	2,000	2,000	2,000
Dual-Rated 120/208-240 Volts, 4 Wire, 60 Hz	•	•	•	•	•	•
Amps	40	40	30	40	40	30
Approximate Shipping Weight (lbs.)	267	302	174	267	302	174

B – Black, W – White, SS – Stainless Steel

Installation	30" Combination	30" Double	30" Single	27" Double	27" Single
A	50"	51 3/4"	29 1/16"	51 3/4"	29 1/16"
B	29 3/4"	29 3/4"	29 3/4"	26 3/4"	26 3/4"
C	23 7/8"	23 7/8"	23 7/8"	23 7/8"	23 7/8"
D	22"	22"	22"	22"	22"
Door Handle Projection	3"	3"	3"	3"	3"
E	49 1/2"	51 1/8"	28 1/4"	51 1/8"	28 1/4"
F	28 1/2"	28 1/2"	28 1/2"	25 1/2"	25 1/2"
G	24"	24"	24"	24"	24"
H	4 3/4" min.	4 3/4" min.	4 3/4" min.	4 3/4" min.	4 3/4" min.
K	n/a	n/a	3"	n/a	3"







*According to AHAM standards. **Please refer to the Microwave section for specifications. †Available September 2007.

500 Series HBN56x0UC†	**500 Series** HBN54x0UC†	**300 Series** HBL35x0UC†	**300 Series** HBL34x0UC†	**300 Series** HBL33x0UC†	**300 Series** HBN35x0UC†	**300 Series** HBN34x0UC†	**300 Series** HBN33x0UC†
27" Double	27" Single	30" Double	30" Single	30" Single	27" Double	27" Single	27" Single
B/W/SS	B/W/SS	B/W/SS	B/W/SS	B/W/SS	B/W/SS	B/W/SS	SS
•	•	•	•	•	•	•	•
•	•						
		•	•	•	•	•	•
•	•						
		•	•	•	•	•	•
Upper	•						
Upper	•						
Upper	•	Upper	•		Upper	•	
Upper / Lower	•	Upper / Lower	•	•	Upper / Lower	•	•
Upper	•	Upper	•		Upper	•	
Upper	•						
Upper	•	Upper	•		Upper	•	
Upper	•						
2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle	2-Hour Cycle
•	•						
5	3	5	3	2	5	3	2
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
2 per Cavity	2	1 per Cavity	1	1	1 per Cavity	1	1
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
4.2 cu.ft.	4.2 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.7 cu.ft.	4.2 cu.ft.	4.2 cu.ft.	4.2 cu.ft.
2,000	2,000						
3,600	3,600	3,600	3,600	3,600	3,600	3,600	3,600
2,000	2,000	2,000	2,000	2,000	2,000	2,000	2,000
•	•	•	•	•	•	•	•
40	30	40	30	30	40	30	30
253	132	302	174	174	253	132	132

Accessories	**Model Number**
30" Ball Bearing Telescopic Rack	HEZ 1070
27" Ball Bearing Telescopic Rack	HEZ 1077

Stainless Steel
(HBL5650UC model shown)

Black
(HBL5660UC model shown)

White
(HBL5620UC model shown)

Warranty Information: BSH warrants that its Ovens are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Oven that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Warming Drawer
Specifications

Model Number	HWD30x0UC	HWD27x0UC
Color Options	B/W/SS	B/W/SS
Width	30"	27"
Appearance		
Flush-to-Cabinet Design	•	•
Touch Control	•	•
Amber Colored Display	•	•
Accepts Custom Wooden Panel	•	•
Performance		
Power Levels	Low/Med/High	Low/Med/High
Proof	•	•
Sabbath Mode	•	•
450 Watt Element Concealed Below Drawer	•	•
Convenience		
Ball Bearing Drawer Guides	•	•
Lower Side Walls for Easy Access	•	•
Moisture Selector “Moist or Dry”	•	•
Timer 5 min. to 5 hours	•	•
Technical		
Warming Drawer Wattage	450	450
Overall Warming Drawer Capacity	2.6 cu.ft.	2.3 cu.ft.
Amps	15	15
Power Supply	120 Volt, 60 Hz	120 Volt, 60 Hz

B – Black, W – White, SS – Stainless Steel

Installation	HWD30	HWD27
A	11 1/4"	11 1/4"
B	29 3/4"	26 3/4"
C	22 1/4"	22 1/4"
D	20 1/2"	20 1/2"
E	11 1/2"	11 1/2"
F	28 1/4"	25"
G	24"	24"
M	1/2" min.	1/2" min.



Stainless Steel
(HWD3050UC model shown)

Black
(HWD3060UC model shown)

White
(HWD3020UC model shown)

Warranty Information: BSH warrants that its Warming Drawer is free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Warming Drawer that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH’s option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Microwave
Specifications

Model Number	**HMB80x0**	**HMB50x0**
Color Options	W/B/SS	W/B/SS
Microwave Configuration	Convection	Traditional
Appearance		
Touch Control	•	•
Amber Colored Scroll Text Display	•	•
Matching Built-In Trim Kit 27"	HMT87x0	HMT57x0
Matching Built-In Trim Kit 30"	HMT80x0	HMT50x0
Performance		
Microwave Power	1,000 watt	1,200 watt
Power Levels	10	10
Microwave Technology	Inverter	Inverter
Convection Cooking	•	
Convection Wattage	1,400	
Sensor Cook	9 Recipes	18 Recipes
Auto Convection Cook	Cake/Pie	
Quick Defrost	•	•
Smart Sensor Reheat	•	•
Auto Reheat Beverages	•	•
Sensor Popcorn	•	•
Keep Warm	•	•
Convenience		
Turntable	Recessed Ceramic 16 1/2"	Recessed Glass 15"
Clock	•	•
Kitchen Timer	•	•
Delay Start	•	•
Quick Min	•	•
More/Less	•	•
Pause/Stop	•	•
Technical		
Overall Microwave Capacity	1.5 cu.ft.	2.1 cu.ft.
Amps	20	20
Power Supply	120 Volt, 60 Hz	120 Volt, 60 Hz

B – Black, W – White, SS – Stainless Steel

Installation	**HMB80x0**	**HMB50x0**
A	14 13/16"	14"
B	23 7/8"	23 7/8"
C	19 5/16"	19 7/16"
D	20 1/2"	20 1/2"
E for 27" Trim Kit	26 3/4"	26 3/4"
E for 30" Trim Kit	29 3/4"	29 3/4"
F	1 1/2"	1 1/2"
G	19 7/8"	19 7/8"
H for 27" Trim Kit	25 7/16"	25 7/16"
H for 30" Trim Kit	28 7/16"	28 7/16"
K	21"	21"



Stainless Steel
(HMB5050UC model shown)

Black
(HMB5060UC model shown)

White
(HMB5020UC model shown)

Warranty Information: BSH warrants that its Microwave is free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Microwave that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Model shown: Built-in Benvenuto® Coffee Machine (TKN 68E75UC)

Turn the kitchen into an **espresso** bar.

The Bosch Benvenuto® is the beginning of an entirely new home-coffee experience, one usually reserved for Italian cafés or coffeehouses. With just the push of a button, you select the coarseness of your grind and the size of your coffee, from a small espresso to an extra-large coffee. Then the Benvenuto's revolutionary **AROMA**SWIRL® system goes into action, extracting all of the flavor from each bean for the richest-tasting coffee you've ever experienced. And all of this performance comes in a completely integrated unit with handsome steel and black accents.

Built-in Benvenuto Coffee Machine

Model
TKN 68E75UC

Dimensions
18 1/16" x 23 3/8" x 20 3/16"

AROMASWIRL

The patented **AROMA**SWIRL system completely engulfs coffee grounds with water in a pressurized chamber, for the most authentic-tasting coffee you've ever experienced from a home machine.

One Touch

The Bosch Benvenuto is so simple, anyone can use it. You can start the entire brewing process with just the push of a button.

Height-Adjustable Coffee Dispenser

Benvenuto's dispenser can be adjusted to accommodate virtually any cup size, from a small espresso cup to a tall latte glass.

Choose Your Perfect Grind

The Benvenuto works equally well with whole bean or ground coffee. You have complete control over the amount of coffee used for each cup, as well as the coarseness of the grind. So you always get your coffee exactly the way you like it.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch's Benvenuto Built-in Coffee Machines are backed by the *Good Housekeeping* Seal of Approval — a two-year limited warranty.

Safety meets **sophistication.**

Induction cooktops are a revolutionary way of cooking that uses the power of electro-magnetic waves to safely heat food quickly and efficiently. Amazingly, the cooktop remains lukewarm to the touch during the heating process because the electro-magnetic waves turn the bottom of the pot into the active heating surface, rather than the cooktop. This helps them to be much safer than gas or electric cooktops. Plus they deliver unrivalled efficiency by using 30% less energy, and heat food over two times faster than conventional ceramic cooktops.

CHILDLOCK

Bosch induction cooktops take safety up a notch. The **CHILD**LOCK function prevents the cooktop from being accidentally switched on and locks the temperature settings if the cooktop is in use.

Anti-Overflow System

Sensors in the glass can detect large spills or excessive overflow, automatically shut off the cooktop, and sound an alarm to alert you of the situation.

Automatic Shut-Off System

Safety comes first. So Bosch induction cooktops are designed to automatically switch off when the unit exceeds a maximum temperature limit.

Safe Start

This safety feature accurately distinguishes between pots or pans and smaller items like utensils that may accidentally be left on the cooktop, and ensures that each cooking element will only heat up if a pot is detected on the cooking surface.

Model Shown: Induction Cooktop (NIT8653UC)

As **efficient** as it is powerful.

Induction cooktops are changing the way you cook thanks to state-of-the-art features like **POT**SENSE™ and **MAXX**BOOST.™ Ingenious convenience-oriented features such as a keep warm function and count-down timer give you unheard of versatility and the ability to multi-task in the kitchen. All together, they create an unprecedented package of features and performance that will exceed your expectations and delight your family.

POTSENSE

Bosch induction cooktops can detect if a pot is placed on a cooking element and automatically adjust the cooking field to the size of the pot bottom. This means no unneeded heat will escape to the sides of the pot, making your kitchen cooler, more energy-efficient, and safer.

MAXXBOOST

For time savings as well as energy savings, Bosch induction cooktops equipped with **MAXX**BOOST function can heat two quarts of water up to 194 degrees Fahrenheit in just over three and a half minutes. That's twice as fast as a conventional ceramic cooktop.

Keep Warm Function

When this function is selected, it enables you to reduce the cooking power to as little as 3% of normal—much greater temperature control than conventional cooktops offer you. This brings the heat to a perfect level to keep meals warm, or simmer soups.

Easy to Clean

Since heat is not radiated from the cooktop, food never becomes baked on. Plus, sensors in the glass surface halt cooking in the event of a large spill, and the smooth top easily wipes clean with just a damp cloth.

COUNTDOWN **Timer**

The days of "slaving over a hot stove" are long gone, thanks to this ingenious function that allows you to pre-set a cooking time for each individual heating element. Now you can multi-task in the kitchen, and the cooktop will automatically shut off the individual cooking elements when their programmed time has expired.

Model Number	800 Series NIT8653UC	800 Series NIT8053UC
Appearance	36"	30"
Color Options	Black w/SS Trim	Black w/SS Trim
Control Type	Touch	Touch
Heating Elements		
6" Single Element (1400 W / 1800 W*)	RR	RF
7" Single Element (1800 W / 2500 W*)	LF, LR	LF, LR
8" Single Element (2200 W / 3300 W*)	RF	
12" Single Element (2400 W / 3400 W*)		C
8"/12" Element (1800 W / 2500 W / 3600 W*)	C	
Features		
MAXXBOOST™	•	•
COUNTDOWN Timer	•	•
2-Level Heat Indicator	•	•
PRECISIONSIM™	•	•
Keep Warm Function	All Elements	All Elements
CHILDLOCK	•	•
Cookware Sensing	•	•
Safe Start	•	•
Automatic Shut-Off System	•	•
Technical		
Dual Rated 208/240V, 3-Wire 60 Hz	•	•
Amps	45A	30A

SS – Stainless Steel

*Refers to wattage with **MAXX**BOOST.

Installation





Induction Cooktop Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer’s Limited Warranty for details.

Model shown: Gas Cooktop (PGL 985)

Versatile power.

To create a variety of dishes, you need a cooktop that has a variety of features. And that's exactly what you get with Bosch gas cooktops. High BTU output burners deliver a range of flame settings, while a separate, low-output burner provides gentle simmering. The large, substantial dials are easy to adjust to get the perfect flame. And multiple-size burners accommodate all manner of cooking styles. We even gave the burners a sealed, recessed design to contain spills and make cleanup easy. In short, our cooktops are designed to meet your every need. So all you have to do is get cooking.

Continuous Grates

This large, continuous, low-profile cooking surface provides you with a versatile platform to work on. Now you can "really" cook. The stable cast-iron grate design allows you to effortlessly move your pans from one burner to the other, optimizing the use of the various burner sizes this cooktop features.

SMARTFLAME™ **Flame Safety**

For maximum user safety, a thermocouple is used to sense the presence of a flame after a burner is turned on. If the flame should blow out, the sensor will immediately register the change in temperature and turn off the gas flow (PGL and PCK models only). Now, you can use your gas cooktop without fear of excess gas escaping into the room.

TRIPLEFLAME™ **Burner**

In its lowest setting, only the small center flame is activated, heating small pots or pans to simmer. If the output is increased, the two outer rings are added to the simmer flame. At the maximum setting, all three flame rings put out a powerful 15,500 BTU for consistent heat distribution across the bottom of large pots and pans (PGL model only).

Low-Profile Design

The sleek, low-profile design of our gas cooktops is elegantly understated and blends seamlessly into any countertop. In stainless steel, the recessed cooktop has a deep spill tray that contains boil-overs for easy cleanup. The shallow depth allows for easy installation of an oven or warming drawer beneath the cooktop.

Electric Cooktops

Design and performance in **perfect** harmony.

From the simple elegance of the ceramic-glass cooking surface to the exciting performance features, Bosch electric cooktops are the very image of understated sophistication for the kitchen. Bosch cooktops offer a range of exclusive performance and convenience features that give you more control and more functionality with superior safety, to make every meal easier and more fun to prepare. Whether you choose the sophisticated touch-control models that feature built-in timers, or the familiarity of our conventional rotary-dial units, you're certain to find a model that suits your design aesthetic and cooking style.

POWERSTART™

This function brings ingredients to the desired heat level faster than ever. Simply set the desired cooking level, then press the "P" button. The **POWER**START heats the pot at the maximum setting, then automatically reduces the heat to your preset level, with no worries about accidental boil over or burning.

PRECISIONSIM™

PRECISIONSIM gives you 10 increments of heat adjustment below 25% of the element's rated power level, so you can precisely set the heat for ideal simmer results without fear of burning or scorching. It's perfect for making delicate sauces or melting chocolate.

COUNTDOWN **Timer**

We've designed independent, built-in timers for each element. Conveniently displaying the set time in the control panel for easy reference, they can automatically shut off each element for easy-timed cooking of multiple dishes. You can even use them as general-purpose kitchen timers.

Touch Control

This touch-sensitive control panel uses the most advanced technology on the market. It has a digital readout of the chosen power setting and a residual heat indicator to prevent accidental injury. A 17-step heat setting gives you unprecedented temperature control, while a built-in timer provides an extra measure of convenience.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Electric Cooktops are backed by the *Good Housekeeping* Seal of Approval — a two-year limited warranty.

Model shown: Electric Cooktop (NET 7452)

Gas Cooktop Specifications



Stainless Steel
(PGL 985 model shown)

PGL/PCK Gas Cooktops

These high-performance cooktops are for those who take their cooking seriously. Available in 30" or 36," they feature optimized burner configurations for maximized pan spacing and excellent cooking versatility. The **TRIPLE**FLAME™ 15,500 BTU center burner on the PGL allows you to switch from an ultra-high setting for searing meats to an ultra-low setting for simmering delicate sauces. The unique diamond burner layout of the PCK provides unrivalled flexibility in using multiple large pans simultaneously. Both models offer the exclusive **SMART**FLAME™ safety feature, which automatically shuts off the gas to the burner should the flame extinguish for any reason.

Model Number	**PGL 985UC**	**PCK 755UC**
Appearance	36"	30"
Color Options	SS	SS
Continuous Grate Design	•	•
Ergonomically Designed Dials	•	•
Deep Recessed Spill Areas	•	•
Burners		
BTU/hr – Right Front Burner	1,300 – 7,000	1,700 – 10,500
BTU/hr – Right Rear Burner	1,300 – 7,000	
BTU/hr – Left Front Burner	1,700 – 10,000	4,100 – 12,500
BTU/hr – Left Rear Burner	1,000 – 5,500	
BTU/hr – Center Burner	830 – 15,500	
BTU/hr – Center Front Burner		800 – 3,500
BTU/hr – Center Rear Burner		1,000 – 6,000
Sealed Burners	•	•
TRIPLEFLAME Burner	•	
SMARTFLAME	•	•
Electronic Re-ignition		
Included Accessories		
Diffuser Plate		
LP Conversion Kit	•	•
Optional Accessories		
Wok Ring – NEZ 1110		
Diffuser Plate – NEZ 1210		
Griddle – NEZ 1310		
LP Kit – NEZ 1056		
Technical		
Energy Source	Nat. Gas	Nat. Gas
Liquid Propane Convertible	•	•
Amps	15	15
Approx. Shipping Weight (lbs.)	38	33 1/2
120V, 3-Wire Power Cord	•	•

B – Black, W – White, SS – Stainless Steel

Installation	**PGL 36"**	**PCK 30"**
A	36"	30"
B	20 1/2"	20 1/2"
C	2 3/8"	2 1/4"
D	33 1/2"	22"
E	19 3/8"	19 3/8"
F	2 3/8"	2 1/4"
G	2"	2"
H	1 1/2"	1 1/2"
Overall Width	36"	30"

PGL/PCK



Stainless Steel
(NGT 745UC model shown)

Black
(NGT 746UC model shown)

White
(NGT 742UC model shown)

	NGP 945UC	NGP 745UC	NGT 94xUC	NGT 74xUC
	36"	30"	36"	30"
	SS	SS	B/W/SS	B/W/SS
	•	•	•	•
	•	•	•	•
	•	•	•	•
	950 – 6,500	950 – 6,500	950 – 6,500	950 – 6,500
	1,300 – 9,100	1,650 – 11,000	1,300 – 9,100	1,650 – 11,000
	1,850 – 15,000	1,850 – 15,000	1,650 – 12,500	1,650 – 12,500
	1,300 – 9,100	1,300 – 9,100	1,300 – 9,100	1,300 – 9,100
	1,650 – 11,000		1,650 – 11,000	
	•	•	•	•
	•	•	•	•
	•	•		
	•	•	•	•
			•	•
	•	•	•	•
			•	•
	Nat. Gas Only	Nat. Gas Only	Nat. Gas	Nat. Gas
			•	•
	15	15	15	15
	51	42	49	42
	•	•	•	•

Installation	NGT/NGP 36"	NGT/NGP 30"
A	36"	30"
B	21"	21"
C	4"	4"
D	34 5/8" – 35 3/8"	28 5/8" – 29 3/8"
E	19 1/8" – 19 7/8"	19 1/8" – 19 7/8"
F	4 3/4"	4 3/4"
G	1 3/4"	1 3/4"
H	2 1/4"	2 1/4"
Overall Width	37"	31"

NGT/NGP



Gas Cooktop Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Electric Cooktop Specifications

Model shown: Electric Cooktop (NET 9652)

Model Number	600 Series NET 9652UC	500 Series NET 7552UC	400 Series NET 7452UC
Appearance	36"	30"	30"
Color Options	SS	SS	SS
Control Type	Touch	Touch	Touch
Heating Elements			
6" Single Element (1200 W)	RR	RF	RF
7" Single Element (1800 W)			LR
7" Bridge Element (1800 W)	LF	LF	
7" Bridge Element (1800 W / 400 W)	LR	LR	
5"/7" Dual Element (700 W / 1700 W)	RF		LF
6"/9" Dual Element (1100 W / 2500 W)		RR	RR
6"/8"/12" Triple Element (1050 W / 1950 W / 2700 W)	C		
Features			
POWERSTART™	•	•	•
COUNTDOWN Timer	•	•	•
2-Level Heat Indicator	•	•	•
PRECISIONSIM™	•	•	•
Technical			
Dual Rated 208/240V, 3-Wire 60 Hz	•	•	•
Amps	40A	30A	30A

SS – Stainless Steel

Model Number	500 Series NEM 9552UC	500 Series NEM 7552UC	400 Series NEM 94x2UC	400 Series NEM 74x2UC
Appearance	36"	30"	36"	30"
Color Options	SS	SS	W/B	W/B
Control Type	Knob	Knob	Knob	Knob
Heating Elements				
6" Single Element (1200 W)	RF	RF	RR	RF
7" Single Element (1800 W)			LR	LR
7" Bridge Element (1800 W)	LF	LF		
7" Bridge Element (1800 W / 400 W)	LR	LR		
5"/7" Dual Element (700 W / 1700 W	RR		RF, LF	LF
6"/9" Dual Element (1100 W / 2500 W)	C	RR	C	RR
Technical				
Dual Rated 208/240V, 3-Wire 60 Hz	•	•	•	•
Amps	40A	30A	40A	30A

B – Black, W – White, SS – Stainless Steel

NET/NEM





Installation	NET/NEM 30"	NET/NEM 36"
A	30 3/4"	36 3/4"
B	21"	21"
C	3 1/2"	3 1/2"
D	28 3/4" – 28 7/8"	34 3/4" – 34 7/8"
E	19 7/8" – 20"	19 7/8" – 20"
F	3 1/2"	3 1/2"
G	2"	2"
H	2 1/2"	2 1/2"

Accessories: All models include Use and Care Instructions and Installation Manuals (English/Spanish/French), a service booklet and a cooktop cleaner/scraper. Electric Cooktop Warranty: 1 year parts and labor.

Model shown: Under Cabinet Hood (DPH353)

Any shape or form.

With attractive styles ranging from traditional to contemporary, Bosch ventilation products are easy on all your senses. Especially your eyes. Powerful dual-inlet blowers operate at a whisper-quiet volume and quickly clear the air after a fragrant meal. And having Bosch ventilation improves your home's air quality while our array of beautiful designs complement your kitchen's look.

Island

Flaunting crisp lines and glass accents, our island hoods offer an aesthetically pleasing, sophisticated design that matches the rest of your kitchen.



Custom Inset

Our new flush-fitting custom inset hoods were designed with minimalist styling that makes them barely visible. And their powerfully quiet fans make them barely audible.

Pyramid

This stylish hood provides you with up to 400 CFM. That means it's powerful enough to remove the toughest steam and odor. Yet it is amazingly quiet and easy to use. For convenience, this hood also features three fan-speed settings and two surface lights.

Downdraft

The perfect solution for very high ceilings, island installation or simply lack of space, our downdraft rises from behind your cooktop. The full 10" rise allows for efficient capture of steam and smoke. And like all our ventilation products, it is extraordinarily quiet.

Powerful attraction.

There’s no need to step outside for a breath of fresh air. With Bosch’s line of efficient, high-performance ventilation products, you can clear the air quickly, quietly and beautifully. With models offering up to 600 CFM of ventilating capability, they quickly remove steam, odors, grease and smoke generated by cooking. The impressively quiet blowers let you adjust the ventilation power for the specific job at hand. And once you see how well they complement your Bosch cooktop or range, you’ll discover that our ventilation products have an attraction all their own.

Styling

Ventilation is indispensable in any kitchen. And wall hoods can be either an eyesore or a visual enhancement. When designing our wall hoods, we chose the latter. So whether you choose traditional, slim silhouette, pyramid or glass canopy-style, its form will beautify its function.

Performance

Steam, smoke, grease odors—nothing resists our efficient ventilation systems. With four-speed fans and a wide CFM range, you can adjust the fan to the desired amount of exhaust power. And all this power almost goes unnoticed because our hoods are also quiet. Extremely quiet.

Lighting Options

You have ambitions of being a chef extraordinaire, and you’re the star in your kitchen. Good news! Now you can cook in the limelight with your choice of halogen hood lights, or, if you prefer, traditional incandescent lights. Both provide bright, clean light over the entire cooking surface to illuminate all your creations.

Versatility

Bosch hoods range from 280 – 600 CFM, so you can select the power to meet your ventilation needs. Our hoods also come in a variety of colors, styles and sizes in either 30", 36" or 40".

Model shown: Wall Mount Canopy Hood (DKE 96)

Ventilation
Specifications

Under Cabinet Hoods

Model Number	**DPH 30352UC** (30") **DPH 36352UC** (36")	**DUH 30252UC** (30") **DUH 36252UC** (36")	**DUH 301x2UC** (30") **DUH 361x2UC** (36")
Appearance			
Color Options	SS	SS	B/W/SS
Style	Commercial	Traditional	Traditional
Width	30," 36"	30," 36"	30," 36"
Depth x Height	•	•	•
Controls	2-Speed Slider	4-Speed Rotary	3-Speed Rotary
Lighting	2 Halogen	2 Halogen	2 Incandescent
Technical			
Blower Included	600 CFM	400 CFM	280 CFM
Ducting Direction	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal
Duct Size	8" Round	7" Round / 3 1/4" x 10"	7" Round / 3 1/4" x 10"
Recirculation	Optional	•	•
Filters	Aluminum Mesh	Aluminum Mesh	Aluminum Mesh
Electrical Requirements	120VAC, 60Hz	120VAC, 60Hz	120VAC, 60Hz
Amps	4.4A	4.4A	4.4A

Traditional Ventilation Accessories

Width	**36"**	**30"**
Color Options	B/W/SS	B/W/SS
Charcoal Filter Kit, DUH	DHZ 3602UC	DHZ 3002UC
Replacement Charcoal Filters, DPH	DHZ 3052UC	DHZ 3052UC
Recirculation Kit, DPH	DRZ 3652UC	DRZ 3052UC

B – Black, W – White, SS – Stainless Steel

DUH Models Installation



DPH Models Installation



Ventilation Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Wall Mount Canopy Hoods



Model Number	**DKE 9605UC** (30") **DKE 9665UC** (36")	**DKE 9405UC** (30") **DKE 9465UC** (36")	**DKE 9305UC** (30") **DKE 9365UC** (36")
Appearance			
Color Options	SS	SS	SS
Style	Smoked Glass Canopy	Slim Silhouette Canopy	Pyramid Canopy
Controls Concealed Under Hood			•
Front Center Controls	•	•	
Digital Display	•	•	
Available Widths	30," 36"	30," 36"	30," 36"
Wall Mount	•	•	•
Welded and Polished Seams	•	•	•
Lighting	2 Halogen	2 Halogen	2 Incandescent
Technical			
Maximum CFM	600	600	400
Fan Speeds	4	4	3
Decibel Rating	54 dB	53 dB	58 dB
Dishwasher-Safe Filters	•	•	•
Adjustable Duct Height	•	•	•
Duct Size	6"	6"	6"
Vertical Discharge	•	•	•
Electrical Requirements	120VAC, 60Hz	120VAC, 60Hz	120VAC, 60Hz
Amps	15	15	15
Approximate Shipping Weight (lbs.) – 30"	77	44	40
Approximate Shipping Weight (lbs.) – 36"	70	57	40
Accessories			
DRZ94UC Recirculation Option	•	•	

SS – Stainless Steel

30" Installation







36" Installation





Ventilation Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Specifications

Model shown: Wall Mount Canopy Hood (DKE 94)

Specialty Hoods

Model Number	DIE 165RUC	DHD 8005UC/DHD 9605UC	DHL 755BUC
Appearance	40"	30"/36"	29" For Applications Up To 36"
Color Options	SS	SS	SS
Style	Island Hood	Downdraft	Custom Inset Hood
Touch & Turn® Control	•	•	•
Controls	Push Button, 7 Segment Display	Push Button	Slide Switch
Smoked Glass Canopy	•		
Lighting	4 Halogen		2 Halogen
Technical			
10" Rise Retractable Intake		•	
Speed Settings	4	3	4
600 CFM Internal Blower		DHG 601DUC	
600 CFM Remote Blower		DHG 6023UC	
600 CFM In-Line Blower		DHG 6015DUC	
Maximum CFM	600		400
Duct Size	6"		6"
Vertical Discharge	•		•
5-Layer Stainless Steel Filter		•	
Dishwasher-Safe Filter	•	•	2
Full-Face Filter		•	
Screw Drive System		•	
120 Volt, 60Hz	•	•	•
Amps	15	10	15
Approximate Shipping Weight (lbs.)	116	50/52	22

B – Black, W – White, SS – Stainless Steel

DHD Accessories

DHZ8220	30" White Color Kit
DHZ8260	30" Black Color Kit
DHZ9220	36" White Color Kit
DHZ9260	36" Black Color Kit
DHZDRH6	6" Transition for Remote Blower

Installation



DHD 8005/9605
Separate Blower Required

DHD 8005/9605



DIE 165RUC



DHL 755BUC



Downdraft Warranty: 1 year parts and labor. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Telescopic Rack

With our convenient, full-extension telescopic rack, you can easily view, check and baste your dishes without having to reach into the oven. Our rack glides smoothly and easily, extending fully over the open oven door—even when holding up to 35 pounds. Plus it fits any of our six rack positions and is removable for easy cleanup.

Model shown: Evolution™ Electric Range (HES 7282 Pro)

The electric range, **evolved.**

The Evolution Electric Free-Standing Range will truly take your cooking to a higher plane of existence. It features a glass-ceramic cooktop with **ULTRA**SPEED ribbon elements for heat-up that's as responsive as gas, and Touch & Turn® control technology that gives you convenient access to every function with just a single control knob. Add the performance of Genuine European Convection and a concealed bake element, and it's clear that every meal you prepare with this range is certain to be a hit.

Touch & Turn

Operating your oven with our exclusive Touch & Turn control system is a breeze. Performance is now at your fingertips. You can quickly access an array of cooking modes in fewer steps, and even self-clean your oven with a single intuitive control knob. No more guesswork. Just great results every time.

Endless Cooking Possibilities

With up to nine preset cooking modes, the options are as vast as they are easy to operate. Our precisely programmed oven functions let you choose from bake, broil, convection bake, convection broil, convection roast, dehydrate or keep warm to complement your diverse cooking needs. All models even include a Sabbath mode.

Cooktop Elements

The electric cooktop features our state-of-the-art UltraSpeed ribbon elements. Instantly responding to the controls, these elements boast a 3 to 5-second "heat-up" time. There are multiple-sized elements, including a triple, all of which are adjustable to accommodate a variety of cookware styles.

Concealed Bake Element

The oven cavity floor hides an 8-pass bake element, offering maximized heat distribution for more even cooking. Since the element is not exposed, you get more usable space for that extra sheet of chocolate chip cookies. Flexibility doesn't stop here since the hidden bake element also makes for the easiest way to clean the inside of your oven.

Convection Oven

Convection cooking has been redefined with our Advanced Circulation System (ACS). By optimizing heat circulation within the oven cavity, this system allows food to be more evenly cooked in up to 25% less time. Select models also feature Genuine European Convection, which adds a third heating element around the fan for ultimate convection performance.

Performance beyond your expectations.

If you're looking for a range to unleash your cooking instincts, look no further than the Evolution Gas Free-Standing Range. Pro-style cooking grates let you slide your pots as easily as if you were in a restaurant kitchen. Powerful **POWER**SIM® burners deliver up to 16,000 BTU for fast time-to-boil and excellent searing, while optimized burner spacing keeps every pot optimally positioned for maximum convenience. Prepare yourself for an amazing culinary experience.

Pro-Style Cooktop

Cooking enthusiasts will truly appreciate the convenience of our pro-style, continuous cast-iron grates. This surface area is the largest in its class. Underneath the low-profile grates, a one-piece, stainless steel (on select models only) upswept cooktop with a sealed burner system makes for a tight look and easy-to-clean surface.

Optimized Burner Spacing

We've revolutionized cooktop design with our unique burner spacing, which offers enhanced versatility as well as the largest cooking surface in its class. In addition to the PowerSim burner, our cooktop has a true-simmer rear burner that is offset to the right—ultimately providing more space for larger pots, while leaving plenty of room for your creativity and cooking prowess.

Temperature Probe

Our built-in automatic meat temperature probe will allow you to cook more accurately and enjoy perfect meals all the time. When foods reach the preset internal temperature, the oven beeps and turns itself off—giving you optimal temperature control. And by not overcooking, your food also maintains its nutritional value. Food tastes better, and you eat healthier.

Widest Oven in its Class

At 25 inches, our oven is the widest in its class. Incredibly accommodating not only can you cook with a variety of cookware sizes simultaneously, it lets you cook an entire meal—including a large bird with all the trimmings. And with our well-lit oven, checking on your meal is a pleasurable eye opener.

Full-Meal Cooking

Thanks to our large capacity and Genuine European Convection, you can cook a feast in your oven. Furthermore, the convection technology prevents fusion of flavors. So, your cherry pie won't taste like garlic potatoes, and your pork roast will taste like... pork roast. You're only limited by your imagination.

Large Warming Drawer
With three electronically controlled temperature settings ranging from 140°-220°F, our stainless steel warming drawer gives you a choice of options for ideal warming temperatures. While it smoothly glides on steel ball bearings, the drawer fully extends for easy access to its 1.3 cubic feet of usable space.

Model shown: Evolution™ Gas Range (HGS 7022)

Model shown: Integra™ Electric Range (HEI 7132)

Beautiful design. Great results.

Integra electric ranges deliver power and functionality that help them perform as good as they look. Triple-element burners offer exceptional versatility for different-sized pots, and **ULTRA**SPEED ribbon technology heats up as fast as gas. The Genuine European Convection w/ACS cooks faster and more evenly. And an extra-large 1.3 cubic foot warming drawer keeps food warm until it's ready to be served. Plus the ranges are designed to slide beautifully into your existing cabinetry for a flush, integrated appearance.

Largest Capacity Oven

At 4.6 cubic feet, our oven is the largest in the slide-in category. Incredibly accommodating, it not only lets you cook with a variety of cookware sizes simultaneously, it lets you cook an entire meal–including a large bird with all the trimmings. And with our well-lit oven, checking on your meal is a pleasurable eye opener.

CLEARTOUCH® Glass Panel

This touch panel features high quality materials and elegant design, while giving complete access to all of the range's many features. Easy to use and even easier to clean, the control indicators will never fade because they are sealed under the glass surface, guaranteeing a beautiful appearance for years to come.

Triple Element Burners

The burners are available in 5"/7"/9" and 6"/9"/12" configurations, and are designed to efficiently accommodate a wide variety of cookware without wasting energy unnecessarily.

Touch & Turn®

Operating your oven with our exclusive Touch & Turn control system is a breeze. Performance is now at your fingertips. You can access an array of cooking modes in fewer steps, and even self-clean your oven with a single intuitive control knob. No more guesswork. Just great results every time.

Genuine European Convection Oven w/ACS

We've set the standard for convection cooking with our Advanced Circulation System (ACS). This system utilizes 8 vents to optimize the circulation of heated air for more even cooking and baking. By improving heat circulation in the oven cavity, this system also reduces cooking time by up to 25%.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Integra Ranges are backed by the *Good Housekeeping* Seal of Approval – a two-year limited warranty.

Integra™ Dual-Fuel Ranges

Make dinner your **favorite** part of the day.

For performance and convenience that make cooking a pleasure,consider the Integra dual-fuel slide-in range. Its gas-on-glass design features burners mounted on a ceramic-glass cooktop, making cleanup easy. A 16,000 BTU **POWER**SIM® burner delivers a faster time-to-boil as well as precise control for excellent simmering. There's also a Genuine European Convection w/ACS oven that cooks up to 25% faster and features the largest oven capacity available, giving you the ability to prepare even the largest meals with ease.

Largest Capacity Oven

At 4.6 cubic feet, our oven is the largest in the slide-in category. Incredibly accommodating, it not only lets you cook with a variety of cookware sizes simultaneously, it lets you cook an entire meal at once—including a large bird with all the trimmings. And with our well-lit oven, checking on your meal is a pleasurable eye opener.

POWERSIM **Burner**

The **POWER**SIM burner is the ultimate in power and finesse. It can generate a blazing 16,000 BTU for fast boiling or quick searing. At the other extreme, the built-in diffuser distributes heat evenly to let you simmer delicate sauces or melt chocolate without scorching.

Gas On Glass

This ingenious design mounts gas burners on color-matched ceramic glass, creating a sleek, handsome cooktop that's patterned to conceal smudges while being significantly easier to clean.

Pro-Style Cooktop

Cooking enthusiasts will appreciate the convenience of our continuous cast-iron grates, which facilitate pot movement on the cooktop. They'll also value the performance of our sealed burner system, which can bring pots quickly to a boil at its highest output, as well as gently simmer sauces with its precision low-output setting. And because the system is fully sealed against drips and spills, it's easier to clean as well.

Genuine European Convection Oven w/ACS

We've set the standard for convection cooking with our Advanced Circulation System (ACS). This system utilizes 8 vents to optimize the circulation of heated air for more even cooking and baking. By improving heat circulation in the oven cavity, this system also reduces cooking time by up to 25%.

Model shown: Integra™ Dual-Fuel Range (HDI 7152)

Model shown: Over-the-Range Microwave (HMV 930)

The **best** of all worlds.

That's exactly what you get with Bosch's over-the-range microwaves. You enjoy the excellent cooking performance and functionality of a Bosch microwave, the convenience of an over-counter design that frees valuable counter space, and the added bonus of an integrated ventilation unit with up to 300 CFM to keep steam, smoke and food odors at bay. All in a handsome design that perfectly complements Bosch convection ranges.

Multi-Sensor Cooking Modes

Standard in our over-the-range microwaves, our sensor cooking modes add a new level of cooking performance. A sensor measures the amount of humidity in the oven. The microwave then automatically adjusts cooking time, based on the type of food.

Integrated Ventilation

The perfect addition to a free-standing convection range or cooktop, our over-the-range microwaves have built-in ventilation systems with up to 300 CFM that feature a charcoal filter, a two-speed fan and a dishwasher-safe grease filter.

Evolution™ Electric Range Specifications

Stainless Steel Pro
(HES 7282 model shown)

Evolution Electric Ranges

Featuring a sleek, low-profile, ceramic-glass cooktop and a multitude of heating-element sizes plus an extra wide oven, our electric free-standing range is at the cutting edge of cooking performance. Available options include our exclusive mTwisT® cooktop control, Genuine European Convection, full-extension telescopic rack, stainless steel warming drawer and temperature probe.

Model Number	**700 Series** HES 7282U PRO
Oven	
Color Options	SS Pro
Touch & Turn® Oven Control	•
Bake	•
Broil	•
Automatic Convection Bake	•
Convection Broil	•
Convection Roast	•
Convection Conversion	•
Dehydrate	•
Sabbath Mode	•
Proof	•
Keep Warm Oven Mode	•
Temperature Probe	•
E**XX**ACTEMP™ Oven	
Standard Convection	
Genuine European Convection (With Third Heating Element)	•
Advanced Circulation System (ACS)	•
Full Extension Telescopic Rack	1
Standard Rack w/More Surface Area	2
Space Saving Half Rack	
Wide View Oven Window	•
Cavity Volume	4.6 cu.ft.
40W Incandescent Lights	2
Convection Assisted Self-Cleaning Oven	•
Full Stainless Steel Backguard	•
Full Stainless Steel Oven Door	•
CLEARTOUCH® Oven Controls	•
True Hidden Bake Element	•
Rack Positions	6
Broiler Pan	•
Broil Wattage	3,600
Bake Wattage	2,000
Third Element Wattage	1,100
Lower Drawer	
Storage Drawer (Full Extension)	
Storage Drawer	
Warming Drawer (Full Extension)	•
WD/Sabbath Mode	•
Cooktop	
9"/12" Dual Element (2700W)	RF
5"/7"/9" Triple Element (2500W)	LR
5"/9" Dual 2500 Watt Element	
5"/8" Dual Element (2200 W)	
5"/8" Dual Element (1900 W)	
8" Single Element (2000 W)	
6" Single Element (1500 W)	
6" Single Element (1200 W)	RR, LF
7" Single Element (1800 W)	
Bridge Element (800 W)	
Twist Control	
Manual Pot Sizing	
Warming Zones	
Stainless Steel-Framed Main Top	•
Porcelain Framed Main Top	
Easy-to-Use Front Controls	•
Nickel Finish Knobs	•
Full Stainless Control Panel	•
Technical	
Dual Rated 208/240 volts, 4 wire 60 Hz	•
Amps	40

B – Black, W – White, SS – Stainless Steel, TI – Titanium

Black w/Stainless Steel
(HES 5042 model shown)

Stainless Steel
(HES 7052 model shown)

Black
(HES 7062 model shown)

White
(HES 7022 model shown)

Titanium
(HES 7132 model shown)

Stainless Steel Pro
(HES 7282 model shown)

700 Series HES 7252U	**700 Series** HES 71(3,5)2U	**700 Series** HES 70(2,5,6)2(U or C)	**500 Series** HES 50(2,4,5,6)2(U or C)	**300 Series** HES 3052(U or C)
SS	SS/TI	B/W/SS	B/W/B with SS/SS	SS
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	
•	•			
•	•	•	•	
•	•	•	•	
•	•	•		
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•			
				•
			•	
•	•	•		
•	•	•	•	
1	1			
2	2	2	3	2
		1		
•	•	•	•	•
4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.
2	2	2	1	1
•	•	•	•	
•	•	•	•	•
•	•	•	•	•
6	6	6	6	6
•	•	•	•	•
3,600	3,600	3,600	3,600	3,600
2,000	2,000	2,000	2,000	2,000
1,100	1,100	1,100	n/a	n/a
			•	
				•
•	•	•		
•	•	•		
	RF			
LF	LR			
		RF	RF	RF
			LR	
RR				
				LF
LR				LR
RF	RR, LF	RR	LF, RR	RR
		LF, LR		
		•		
•				
•				
All Elements				
•	•	Stainless model only	HES 5052 model only	•
			HES 50(2,4,6)2 models	
	•	•	•	•
	•			
•	•			
•	•	•	•	•
40	40	40	40	40

Installation



Accessories	**Model Number**
Telescopic Racks	HEZ 1040

*Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Evolution™ Gas
Range Specifications

Stainless Steel Pro
(HGS 7282 model shown)

Evolution Gas Ranges

Featuring pro-style continuous grates with the largest cooking surface on the market, as well as a sophisticated convection system, our gas free-standing range is the perfect solution for your cooking needs. Available options include our **POWER**SIM® burner, full-extension telescopic rack, stainless steel warming drawer and built-in temperature probe.

Installation



Model Number
Oven
Color Options
Touch & Turn® Oven Control
Bake
Broil
Automatic Convection Bake
Convection Broil
Convection Roast
Convection Conversion
Dehydrate
Proof
Keep Warm Oven Mode
Sabbath Mode
Temperature Probe
E**XX**ACTEMP™ Oven
Standard Convection
Genuine European Convection (With Third Heating Element)
Advanced Circulation System (ACS)
Full-Extension Telescopic Rack
Standard Rack w/More Surface Area
Space Saving Half Rack
Wide View Oven Window
Cavity Volume
40W Incandescent Lights
Convection Assisted Self-Cleaning Oven
Full Stainless Steel Backguard
Full Stainless Steel Oven Door
CLEARTOUCH® Oven Controls
True Hidden Bake Element
Rack Positions
Broiler Pan
Broil Burner BTU
Bake Burner BTU
Broil Wattage
Bake Wattage
Third Element Wattage
Lower Drawer
Storage Drawer (Full Extension)
Storage Drawer
Warming Drawer (Full Extension)
WD/Sabbath Mode
Cooktop
Pro-style Continuous Matte Grates
Low-Profile/Flush-to-Countertop
POWERSIM Burner
OPTISIM™ Burner
Matte Burner Caps
BTU/RF Burner
BTU/RR Burner
BTU/LF Burner
BTU/LR Burner
Optimized Burner Spacing
Sealed Burners
Stainless Maintop
Porcelain Maintop
Nickel Finish Knobs
Full Stainless Control Panel
Technical
120 volts, 3 wire 60 Hz
Dual Rated 208/240 volts, 4 wire 60 Hz
Powercord
Amps
Natural/LP Gas Convertible

B – Black, W – White, SS – Stainless Steel, TI – Titanium

Black w/Stainless Steel
(HGS 5042 model shown)

Stainless Steel
(HGS 5052 model shown)

Black
(HGS 7062 model shown)

White
(HGS 5022 model shown)

Titanium
(HGS 7132 model shown)

Stainless Steel Pro
(HGS 7282 model shown)

700 Series HGS 7282UC PRO	**700 Series** HGS 71(3,5)2UC	**700 Series** HGS 70(2,5,6)2UC	**500 Series** HGS 50(2,4,5,6)2UC	**300 Series** HGS 3052UC
SS Pro	SS/TI	B/W/SS	B/W/B with SS/SS	SS
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•		
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•			
				•
			•	
•	•	•		
•	•	•	•	
1	1			
2	2	2	3	2
		1		
•	•	•	•	•
5.1 cu.ft.	5.1 cu.ft.	5.1 cu.ft.	5.1 cu.ft.	5.1 cu.ft.
2	2	2	1	1
•	•	•	•	
•				
•				
•	•	•	•	•
6	6	6	6	6
•	•	•	•	•
12,500	12,500	12,500	12,500	12,500
17,000	17,000	17,000	17,000	17,000
400	400	400		
			•	
				•
•	•	•		
•	•	•		
•	•	•	•	•
•	•	•	•	•
RF	RF	RF		
RR	RR			
•	•	•	•	•
1,300–16,000	1,300–16,000	1,300–16,000	1,300–15,000	1,300–15,000
800–5,500	800–5,500	800–5,500	800–5,500	800–5,500
1,200–9,100	1,200–9,100	1,200–9,100	1,200–9,100	1,200–9,100
1,400 - 12,500	1,400 - 12,500	1,400 - 12,500	1,400 - 12,500	1,400 - 12,500
•	•	•	•	•
•	•	•	•	•
•	•	HGS7052UC HGS70(2,6)2UC	HGS5052UC HGS50(2,4,6)2UC	•
•	•			
•	•			
•	•	•	•	•
•	•	•	•	•
15	15	15	15	15
•	•	•	•	•

Accessories	**Model Number**
Telescopic Racks	HEZ 1040

*Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Evolution™ Dual-Fuel Range Specifications

Stainless Steel Pro
(HDS 7282 model shown)

Evolution Dual-fuel Ranges

Our dual-fuel free-standing range combines the most advanced features from our gas cooktops and precision electric ovens for the ultimate in versatility and performance. A gas cooktop, featuring pro-style continuous grates and the **POWER**SIM® burner, is complemented by a Genuine European Convection oven with full-extension telescopic rack and built-in temperature probe to provide the best of both worlds.

Installation





Model Number	**700 Series** HDS 7282U PRO	**700 Series** HDS 71(3,5)2U
Oven		
Color Options	SS Pro	SS/TI
Touch & Turn® Oven Control	•	•
Bake	•	•
Broil	•	•
Automatic Convection Bake	•	•
Convection Broil	•	•
Convection Roast	•	•
Convection Conversion	•	•
Dehydrate	•	•
Proof	•	•
Keep Warm Oven Mode	•	•
Sabbath Mode	•	•
Temperature Probe	•	•
E**XX**ACTEMP™ Oven		
Standard Convection		
Genuine European Convection (With Third Heating Element)	•	•
Advanced Circulation System (ACS)	•	•
Full-Extension Telescopic Rack	1	1
Standard Rack w/More Surface Area	2	2
Space Saving Half Rack		
Wide View Oven Window	•	•
Cavity Volume	4.6 cu.ft.	4.6 cu.ft.
40W Incandescent Lights	2	2
Convection Assisted Self-Cleaning Oven	•	•
Full Stainless Steel Backguard	•	
Full Stainless Steel Oven Door	•	
CLEARTOUCH® Oven Controls	•	•
True Hidden Bake Element	•	•
Rack Positions	6	6
Broiler Pan	•	•
Broil Burner BTU		
Bake Burner BTU		
Broil Wattage	3,600	3,600
Bake Wattage	2,000	2,000
Third Element Wattage	1,100	1,100
Lower Drawer		
Storage Drawer (Full Extension)		
Storage Drawer		
Warming Drawer (Full Extension)	•	•
WD/Sabbath Mode	•	•
Cooktop		
Pro-style Continuous Matte Grates	•	•
Low-Profile/Flush-to-Countertop	•	•
POWERSIM Burner	RF	RF
OPTISIM™ Burner	RR	RR
Matte Burner Caps	•	•
BTU/RF Burner	1,300–16,000	1,300–16,000
BTU/RR Burner	800–5,500	800–5,500
BTU/LF Burner	1,200–9,100	1,200–9,100
BTU/LR Burner	1,400–12,500	1,400–12,500
Optimized Burner Spacing	•	•
Sealed Burners	•	•
Stainless Maintop	•	•
Porcelain Maintop		
Nickel Finish Knobs	•	•
Full Stainless Control Panel	•	•
Technical		
120 volts, 3 wire 60Hz		
Dual Rated 208/240 volts, 4 wire 60Hz	•	•
Powercord		
Amps	30	30
Natural/LP Gas Convertible	•	•

B – Black, W – White, SS – Stainless Steel, TI – Titanium

Stainless Steel
(HDS 7052 model shown)

Black
(HDS 7062 model shown)

White
(HDS 7022 model shown)

Titanium
(HDS 7132 model shown)

Stainless Steel Pro
(HDS 7282 model shown)

Over-The-Range **Microwaves**

Model Number	**HMV930x**	**HMV30x0**
Appearance		
Color Options	B/W/SS/TI	B/W/SS
Touch Control	•	•
Display Color	Green	Amber
Width	30"	30"
Microwave Performance		
Microwave Power	1,000 watt	950 watt
Power Levels	10	10
Sensor Cook	•	•
Sensor Popcorn	•	•
Sensor Potatoe	•	•
Sensor Pizza	•	•
Sensor Vegetables	•	
Sensor Reheat	•	•
Auto Defrost	•	•
Quick Defrost	•	
Time Defrost	•	
Ventilation Performance		
CFM rate	300	220
Fan speed	High/Low	High/Med/Low
Charcoal Filter	•	•
Dishwasher Safe Grease Filter	•	•
Convenience		
Turntable	12"–Glass Recessed	12"–Glass Recessed
Clock	•	•
Kitchen Timer	•	•
More / Less	•	•
Cooktop Light	2 x 40 Watt	1 x 40 Watt
Technical		
Overall Microwave Capacity	1.8 cu.ft.	1.7 cu.ft.
Amps	15	15
Power Supply	120 Volt, 60 Hz	120 Volt, 60 Hz
Installation		
Overall Width	29 15/16"	29 15/16"
Overall Height	16 7/16"	17 1/8"
Overall Depth	15 5/8"	17 1/4"

700 Series
HDS 70(2,5,6)2(U or C)

B/W/SS
•
•
•
•
•
•
•
•
•
•
•
•
2
1
•
4.6 cu.ft.
2
•
•
•
6
•
3,600
2,000
1,100
•
•
•
•
RF
•
1,300–16,000
800–5,500
1,200–9,100
1,400–12,500
•
•
HDS7052(U or C)
HDS70(2,6)2(U or C)
•
30
•



Accessories	**Model Number**
Telescopic Racks	HEZ 1040

*Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges and OTR's are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range or OTR that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Integra™ Range Specifications

Stainless Steel Pro
(HDI 7282 model shown)

Electric and Dual-fuel Slide-in ranges

These ranges are available in a variety of configurations to suit your cooking needs and kitchen décor. Choose from a range of burner sizes as well as black, titanium and full stainless steel color variations. For a complete listing of options, refer to the adjacent features chart.

Model Number	**700 Series** HEI 7282(U or C) Pro Electric
Oven	
Color Options	SS Pro
Touch & Turn® Oven Control	•
Bake	•
Broil	•
Automatic Convection Bake	•
Convection Broil	•
Convection Roast	•
Convection Conversion	•
Dehydrate	•
Keep Warm Oven Mode	•
Sabbath Mode	•
Proof	•
Temperature Probe	•
Genuine European Convection (With Third Heating Element)	•
Advanced Circulation System (ACS)	•
Cavity Volume (Largest in Slide-in Range Category*)	4.6 cu.ft.
True Hidden Bake Element	•
40W Incandescent Lights	2
Convection Assisted Self-Cleaning Oven	•
Larger Surface Area Oven Racks	2
Space Saving Half Rack	
Full Extension Telescopic Racks	1
Wide View Oven Window	•
CLEARTOUCH® Oven Controls	•
Full Stainless Steel Oven Door	•
Standard Broiler Pan	•
Rear Finishing Strip (Included)	•
Broil Wattage	3,600
Bake Wattage	2,000
Third Element Wattage	1,100
Lower Drawer	
Storage Drawer (Full Extension)	
Warming Drawer (Full Extension)	•
WD Sabbath Mode	•
Cooktop – Electric	
12"/9"/6" Triple Element (2700 W)	RF
5"/7"/9" Triple Element (2500 W)	
5"/8" Dual Element (1900 W)	LR
6" Single Element (1500 W)	LF
6" Single Element (1200 W)	RR
7" Single Element (1800 W)	
Bridge Element (800 W)	
True White Cooktop (Titanium only)	
Stainless Steel Cooktop Frame	•
Nickel Finish Knobs	•
Full Stainless Steel Control Panel	•
Cooktop – Gas	
Pro-style Continuous Matte Grates	
Gas-on-Glass Cooktop Design	
POWERSIM® Burner	
OPTISIM™ Burner	
BTU/RF Burner	
BTU/RR Burner	
BTU/LF Burner	
BTU/LR Burner	
Sealed Burners	
Technical	
Dual Rated 208/240 volts, 4 wire 60 Hz	•
Amps	40
Approvals	US/Canada
Natural/LP Gas Convertible	

B – Black, W – White, SS – Stainless Steel, TI – Titanium

*All measurements are according to AHAM Standards.

Stainless Steel
(HDI 7152U model shown)

Titanium
(HEI 7132U model shown)

Stainless Steel Pro
(HDI 7282U model shown)

700 Series
HEI 71(3,5)2(U or C)
Electric

700 Series
HEI 70(3,5)2(U or C)
Electric

700 Series
HDI 7282(U or C) PRO
Dual-Fuel

700 Series
HDI 71(3,5)2(U or C)
Dual-Fuel

700 Series
HDI 70(3,5)2(U or C)
Dual-Fuel

SS/TI	SS/TI	SS Pro	SS/TI	SS/TI
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•		•	•	
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•		•	•	
•	•	•	•	•
•	•	•	•	•
4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.	4.6 cu.ft.
•	•	•	•	•
2	2	2	2	2
•	•	•	•	•
2	2	2	2	2
	1			1
1		1	1	
•	•	•	•	•
•	•	•	•	•
		•		
•	•	•	•	•
•	•	•	•	•
3,600	3,600	3,600	3,600	3,600
2,000	2,000	2,000	2,000	2,000
1,100	1,100	1,100	1,100	1,100
	•			•
•		•	•	
•		•	•	
RF				
	RF			
LR				
LF				
RR	RR			
	LF, LR			
	•			
•	•		•	•
•	•	•	•	•
•		•	•	
		•		
		•	•	•
		•	•	•
		3	3	1
		1	1	1
		1,300–16,000	1,300–16,000	1,300–16,000
		800–5,500	800–5,500	800–5,500
		1,300–12,500	1,300–12,500	1,300–12,500
		1,300–12,500	1,300–12,500	1,300–12,500
		•	•	•
•	•	•	•	•
40	40	30	30	30
US/Canada	US/Canada	US/Canada	US/Canada	US/Canada
		•	•	•

Installation



Accessories	Model Number
Telescopic Racks	HEZ 1040
Backsplash (Wall Installations)	HEZ 1060

*Electric Ranges are CSA approved.

Warranty Information: BSH warrants that its Ranges are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Range that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts.

Life made **cooler.**

Model shown: Evolution™ 800 Series (B20CS80SNS)

Whether preparing a holiday feast for the entire family or sneaking a late-night scoop of ice cream for yourself, your family deserves the freshest food. And because we understand that families are as different as snowflakes, we offer innovative cooling solutions that can suit virtually any need. Like our revolutionary Integra® Refrigeration, which gives you ultimate flexibility in the kitchen. And Bosch Evolution™ refrigerators, with cutting-edge features that bring together convenience and performance in an ultra-cool package. Either way, Bosch refrigerators help you ensure your family gets the best, always. **Invented for life.**

Models shown: Integra® 30" Freezer (B30IF70SSS) left, Integra 24" Refrigerator (B24IR70SSS) Middle, Integra 24" Wine Cooler (B24IW50SLS) Right

Flexible **performance.**

Bosch Integra Refrigeration introduces a new concept in cooling—customization. Fully integrated, built-in refrigerators, freezers, bottom-freezers and wine storage in various sizes offer the ultimate in storage capacity and flexibility. This enables you to create a perfectly customized system to fit both your kitchen and your family's needs. Advanced technologies like the **MARKET**FRESH™ food preservation system help keep your food at the peak of freshness. And like all Bosch appliances, they are designed to keep energy consumption to a minimum.



Flexibility

With Bosch Integra Refrigeration, you can customize your kitchen to meet your family's needs. Large families have the option to choose higher capacity units, while small families can choose a 24" refrigerator and 18" freezer for a more traditional configuration.

MARKETFRESH **Food Preservation System**

This integrated system helps keep all of your food at the peak of freshness. Each unit is comprised of its own compressor and evaporator, which eliminates the possibility of odor transfer between two units. Also, an additional cooling channel in the refrigerator door keeps items in the door bins just as cold as the items on the shelves. Finally, we added an adjustable, temperature-controlled drawer in which you can store perishable items to keep them fresh longer.

Energy Efficient

Every Bosch Integra Refrigerator is ENERGY STAR® qualified. With efficient features, such as an alarm indicating the door is ajar, Vacation Mode and Economy Mode, Bosch can significantly reduce your energy bills.

Cool and **convenient.**

We've engineered our Integra® Refrigeration with countless features to make life easier and your kitchen more efficient. Smart design details like Bosch's **ANTI**STICK™ ice system and the ingenious **OPTI**FLEX™ hinge make everyday use a pleasure. In addition, the Integra boasts the legendary quiet operation you find in all Bosch appliances, keeping background noise to a minimum.



Quiet

Bosch engineering does it again—quiet operation with maximum performance. Bosch Integra Refrigeration performs powerfully, and runs nearly silent so you can cook, eat and entertain in the kitchen.

OPTIFLEX **Hinge**

Designed to open out and away from the cabinetry, this ingenious hinge construction allows doors to be mounted flush and open to 115 degrees without touching or nicking surrounding cabinets. Plus, the **OPTI**FLEX hinge can support up to 220 lbs. of door weight, which gives you the flexibility to apply custom paneling.

ANTISTICK **Ice System**

Dispensing ice and water is effortless with Integra. Its innovative **ANTI**STICK ice system periodically rotates ice to prevent clumping, so you can quickly and easily access all the available ice in your freezer.

Convenient Water Dispensing System

Bosch Integra refrigerators feature a fold-out pitcher flap that accepts even large pitchers. And when you're entertaining, the **ACTIVE**CHILL™ water replenishment system helps make sure there's always plenty of filtered, ice-cold water on hand for you and your guests.

Model shown: Integra® 3-Door Bottom-Freezer (B36IT70SNS)

Integra® Refrigeration Specifications

Integra Refrigerators
One of the most ingenious new designs on the market, Bosch Integra Refrigeration brings an unprecedented level of customization to your kitchen. A variety of features such as **ANTI**STICK™ ice system to prevent ice clumping, **MAX**BRIGHT™ halogen lighting and the **MARKET**FRESH™ Food Preservation System make operation effortless and keep food at optimal freshness.

Models
Integra Refrigerator
(30") B30IR70SSS (Stainless Steel)
(30") B30IR70NSP (Custom Panel)
(24") B24IR70SSS (Stainless Steel)
(24") B24IR70NSP (Custom Panel)

Models
Integra Freezer
(30") B30IF70SSS (Stainless Steel)
(30") B30IF70NSP (Custom Panel)
(24") B24IF70SSS (Stainless Steel)
(24") B24IF70NSP (Custom Panel)
(24") B24ID80S(R, L)S with dispenser (Stainless Steel)
(24") B24ID80N(R, L)P with dispenser (Custom Panel)
(18") B18IF70SSS (Stainless Steel)
(18") B18IF70NSP (Custom Panel)
(18") B18ID80S(R, L)S with dispenser (Stainless Steel)
(18") B18ID80N(R, L)P with dispenser (Custom Panel)

Models
Integra Bottom-Freezer
(36") B36IT70SNS 3-Door (Stainless Steel)
(36") B36IT70NNP 3-Door (Custom Panel)
(36") B36IB70SSS 2-Door (Stainless Steel)
(36") B36IB70NSP 2-Door (Custom Panel)

Models
Integra Wine Cooler
(24") B24IW50S(R, L)S (Stainless Steel)
(24") B24IW50NSP (Custom Panel)
(18") B18IW50S(R, L)S (Stainless Steel)
(18") B18IW50NSP (Custom Panel)

Important: To install Integra Refrigeration properly, visit www.boschappliances.com for important information about required accessory kits for specific installations.

Model Number	Refrigerator B24IR70xxx/B30IR70xxx	Freezer B18IF70xxx/B18ID80xxx B24IF70xxx/B24ID80xxx B30IF70xxx	Bottom-Freezer B36IT70xxx /B36IB70xxx	Wine Cooler B18IW50xxx/B24IW50xxx
Outlook				
Color Options	SS/CP	SS/CP	SS/CP	SS/CP
Widths Available	24", 30"	18", 24", 30"	36" (3-Door or 2-Door)	18", 24"
Door Swing	Reversible	Order Right or Left w/Dispenser, Reversible w/o Dispenser	2-Door Reversible	Order Right or Left w/Dispenser, Reversible w/o Dispenser
Capacity				
30" Refrigerator Unit (cu. ft.)	17			
24" Refrigerator Unit (cu. ft.)	13.1			
30" Freezer Unit (cu. ft.)		15.9		
24" Freezer Unit (cu. ft.)		12.2		
18" Freezer Unit (cu. ft.)		8.5		
36" Refrigerator/Freezer Unit (cu. ft.)			19.6 (Fridge 14.3, Freezer 5.3)	
24" Wine Unit				98 Bottles
18" Wine Unit				70 Bottles
Freezer Compartment				
Shelves		2		
Drawers		2 Full Extension	2 Full Extension	
Door Bins		5/2		
Fresh Food Compartment				
Shelves	3		3	14
Drawers	2 Full Extension		3 Full Extension	
Door Bins	4		6 (3-door), 3 (2-door)	
Shelf Divider			2	
General Features				
MAXBRIGHT™ Lighting System	2 Upper Spot Lights, 2 Halogen Side Column Lights	2 Upper Spot Lights	2 Upper Spot Lights, 2 Halogen Side Column Lights, 2 Drawer Lights	1 Halogen Light, 1 LED Presenter Light
Temperature Controlled Drawer	1			
Carbon Air Filter	•		•	
Cool Door	•			
SUPERCOOL™	•		•	
SUPERFREEZE™		•	•	
Economy Mode	•	•	•	
Vacation Mode	•	•	•	•
Sabbath Mode	•	•	•	•
Electronic Controls	•	•	•	•
Water Filter		•	•	
Water Change Indicator		•	•	
Internal Filtered Ice Maker		•	•	
ANTISTICK™		Dispenser Units		
Dispenser on/off		Dispenser Units		
External Cubed/Crushed Ice and Water Dispenser*		Dispenser Units	36"	
Shelves				Removable, Roller Shelves
Glass Door				UV Protection
Display Shelf				•
DUALTEMP™				2 Fully Adjustable Zones
Temperature Settings	35 to 46˚F	-9 to 7˚F	35 to 46˚F/-9 to 7˚F	37 to 64˚F
Special Features				
Fully Integrated	•	•	•	•
OPTIFLEX™ Hinge	•	•	•	•
Compressor	•	•	2	•
Evaporator	•	•	2	•
ENERGY STAR® Qualified	•	•	•	
Pitcher Holder Flap*		Only on Dispenser Units		
Technical Data				
Voltage/Frequency	120V/60Hz	120V/60Hz	120V/60Hz	120V/60Hz
Energy Consumption kWh/year	278, 285	332, 446, 482	435, 478	365, 380
Wattage**	180, 180	367, 444, 504	588, 588	92, 102

SS – Stainless Steel, CP – Custom Panel

*Dispenser units available in Fall of 2007.
**15 amp circuit recommended.

Warranty Information: BSH warrants that its Refrigerators are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Refrigerator that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts. In the second through fifth years from the date of purchase, when this refrigerator is operated and maintained according to instructions attached to or furnished with the product, Bosch will pay for factory specified replacement parts and repair labor costs to correct defects in materials or workmanship in the sealed refrigeration system. These parts are: compressor, evaporator, condenser, dryer, and connecting tubing. Service must be performed by a Bosch designated service company.

Integra® Accessories

Model shown: Integra® 3-Door Bottom-Freezer (B36IT70SNS)

Model Number	Description
BOHANDL100	Bosch Handle
BOSS18DR10	18" Stainless Steel Door
BOSS18DD10	18" Stainless Steel Door, Ice/Water Dispenser
BOSS24DR10	24" Stainless Steel Door
BOSS24DD10	24" Stainless Steel Door, Ice/Water Dispenser
BOSS30DR10	30" Stainless Steel Door
BOSS362D10	2 Door Bottom Freezer Stainless Steel Door
BOSS363D10	3 Door Bottom Freezer Stainless Steel Door
BOSS18DWR1	18" Stainless Steel Wine Door, Right
BOSS18DWL1	18" Stainless Steel Wine Door, Left
BOSS24DWR1	24" Stainless Steel Wine Door, Right
BOSS24DWL1	24" Stainless Steel Wine Door, Left
BOSEALKIT1	Side by Side Kit
BOHEATKIT1	Extreme Heat Kit
BOFNGRXL10	Extra Long Finger Protection
BOFPCONBF1	Front Panel Connection Bottom Freezer
BOFPCONSS1	Front Panel Connection Single Door
BORPLFTR10	Replacement Filter - Bosch Built-In
BOSCNFTR10	Screen Filter
BOTK18FRF1	18" Toekick, Right Hinge, Freezer with Filter
BOTK18FLF1	18" Toekick, Left Hinge, Freezer with Filter
BOTK18RR10	18" Toekick, Right Hinge – Wine
BOTK18RL10	18" Toekick, Left Hinge – Wine
BOTK18DRF1	18" Toekick, Ice/Water Dispenser, Right Hinge
BOTK18DLF1	18" Toekick, Ice/Water Dispenser, Left Hinge
BOTK24FRF1	24" Toekick, Right Hinge, Freezer with Filter
BOTK24FLF1	24" Toekick, Left Hinge, Freezer with Filter
BOTK24RR10	24" Toekick, Right Hinge – Refrigerator/Wine
BOTK24RL10	24" Toekick, Left Hinge – Refrigerator/Wine
BOTK24DRF1	24" Toekick, Ice/Water Dispenser, Right Hinge
BOTK24DLF1	24" Toekick, Ice/Water Dispenser, Left Hinge
BOTK30FRF1	30" Toekick, Right Hinge, Freezer with Filter
BOTK30FLF1	30" Toekick, Left Hinge, Freezer with Filter
BOTK30RR10	30" Toekick, Right Hinge – Refrigerator
BOTK30RL10	30" Toekick, Left Hinge – Refrigerator
BOTK36BF10	36" Bottom Freezer Toekick with Filter

Integra® Refrigeration Dimensions

Refrigerator, Freezer and Wine Coolers



Model Number	Capacities (cu. ft. or bottles)	Cutout Dimensions			Custom and Stainless Steel Panel Dimensions*				Door Clearance			Power Connection Area
		W	H	D	K	A	B	C	F	G	I	J
Refrigerators												
24" Units												
B24IR70SSS	13.1	24"	84"	24 3/4"		4"		1/8"	13/32"	26 21/32"	11 3/4"	12"
B24IR70NSP (Custom Panel)	13.1	24"	84"	24"**	23 3/4"	4"	79 7/8"	1/8"	13/32"	26 21/32"	11 3/4"	12"
30" Units												
B30IR70SSS	17.0	30"	84"	24 3/4"		4"		1/8"	13/32"	32 31/32"	14 5/16"	15"
B30IR70NSP (Custom Panel)	17.0	30"	84"	24"**	29 3/4"	4"	79 7/8"	1/8"	13/32"	32 31/32"	14 5/16"	15"
Freezers												
18" Units												
B18IF70SSS	8.5	18"	84"	24 3/4"		4"		1/8"	13/32"	20 21/32"	9 7/32"	9"
B18IF70NSP (Custom Panel)	8.5	18"	84"	24"**	17 3/4"	4"	79 7/8"	1/8"	13/32"	20 21/32"	9 7/32"	9"
B18ID80S(R, L)S (with Dispenser)	8.5	18"	84"	24 3/4"		4"		1/8"	13/32"	20 21/32"	9 7/32"	9"
B18ID80N(R, L)P (with Dispenser)	8.5	18"	84"	24"**	17 3/4"	4"	79 7/8"	1/8"	13/32"	20 21/32"	9 7/32"	9"
24" Units												
B24IF70SSS	12.2	24"	84"	24 3/4"		4"		1/8"	13/32"	26 21/32"	11 3/4"	12"
B24IF70NSP (Custom Panel)	12.2	24"	84"	24"**	23 3/4"	4"	79 7/8"	1/8"	13/32"	26 21/32"	11 3/4"	12"
B24ID80S(R, L)S (with Dispenser)	12.2	24"	84"	24 3/4"		4"		1/8"	13/32"	26 21/32"	11 3/4"	12"
B24ID80N(R, L)P (with Dispenser)	12.2	24"	84"	24"**	23 3/4"	4"	79 7/8"	1/8"	13/32"	26 21/32"	11 3/4"	12"
30" Units												
B30IF70SSS	15.9	30"	84"	24 3/4"		4"		1/8"	13/32"	32 31/32"	14 5/16"	15"
B30IF70NSP (Custom Panel)	15.9	30"	84"	24"**	29 3/4"	4"	79 7/8"	1/8"	13/32"	32 31/32"	14 5/16"	15"
Wine Coolers												
18" Units												
B18IW50S(R, L)S	70 bottles	18"	84"	24 3/4"		4"		1/8"	13/32"	20 21/32"	9 7/32"	9"
B18IW50NSP (Custom Panel)	70 bottles	18"	84"	24"**	17 3/4"	4"	79 7/8"	1/8"	13/32"	20 21/32"	9 7/32"	9"
24" Units												
B24IW50S(R, L)S	98 bottles	24"	84"	24 3/4"		4"		1/8"	13/32"	26 21/32"	11 3/4"	12"
B24IW50NSP (Custom Panel)	98 bottles	24"	84"	24"**	23 3/4"	4"	79 7/8"	1/8"	13/32"	26 21/32"	11 3/4"	12"

* The custom panel dimensions are for a standard 1/8" reveal and 4" toekick installation. ** Plus panel size.

3-Door Bottom-Freezers



2-Door Bottom-Freezers



Model Number	Capacities (cu. ft.) Total/Refrigerator/ Freezer	Overall Dimensions W	H	D	Custom and Stainless Steel Panel Dimensions K/KK	A	B/BB	C	Door Clearance F	G	I	Power Connection Area J
Bottom-Freezers												
3-door												
B36IT70SNS	19.6/14.3/5.3	36"	84"	24 3/4"		4"		1/8"	13/32"	20 21/32"	9 7/32"	18"
B36IT70NNP (Custom Panel)	19.6/14.3/5.3	36"	84"	24"**	35 3/4" / 17 3/4"	4"	28 13/32" / 51 11/32"	1/8"	13/32"	20 21/32"	9 7/32"	18"
2-door												
B36IB70SSS	19.6/14.3/5.3	36"	84"	24 3/4"		4"		1/8"	13/32"	38 21/32"	16 27/32"	18"
B36IB70NSP (Custom Panel)	19.6/14.3/5.3	36"	84"	24"**	35 3/4"	4"	28 13/32" / 51 11/32"	1/8"	13/32"	38 21/32"	16 27/32"	18"

Because of our continuous program of product improvement, we reserve the right to change materials and specifications without notice. Notes: All height, width and depth dimensions are shown in inches. All doors are reversible to accommodate a left-hand or right-hand door swing. Please refer to installation instructions prior to installation. Installation instructions will be available at www.boschappliances.com in 2007. Check website for model availability. * The custom panel dimensions are for a standard 1/8" reveal and 4" toekick installation. ** Plus panel size.

Model shown: Evolution™ Refrigerator (B20C580SNW)

Performance you can use.

Bosch Evolution refrigerators deliver the impressive performance that our home appliances are known for throughout the world. Technologies like the temperature controlled drawer and **SUPER**COOL™ keep food fresher longer, while advanced engineering makes our refrigerators quieter, more efficient and economical. Add in premium features, and it's easy to see why Evolution refrigerators are the perfect addition to any contemporary kitchen.

SUPERCOOL

To help prevent food spoilage of already-cooled items when placing newly purchased goods next to them and to quickly cool new items, this feature minimizes temperature fluctuations by temporarily bringing the refrigerator to its coolest temperature setting with just the touch of a button.

SUPERFREEZE™

This feature works similarly to **SUPER**COOL, helping to prevent food spoilage by keeping already-frozen items cold when placing newly purchased goods next to them, and cooling new items as quickly as possible. It does this by minimizing temperature fluctuations with the touch of a button–temporarily dropping the freezer unit to its lowest temperature setting.

Temperature Controlled Drawer (TCD)

This drawer allows you to maintain a user-adjustable temperature independent of the refrigerator's interior temperature. With three different settings, depending on the type of food being stored, even highly perishable items can stay fresher longer and maintain optimum flavor.

Multi-Flow Shower Cooling System

By directing airflow through the interior compartment, this feature helps to eliminate warm and cold spots for more even and uniform cooling.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Evolution Refrigerators are backed by the *Good Housekeeping* Seal of Approval — a two-year limited warranty.

Convenience you can appreciate.

Bosch appliances are all about making the home a more pleasant place to live, and Evolution™ refrigerators are certainly no exception. We've designed them with multiple convenience features, like adjustable shelves to maximize interior storage, an external ice and water dispenser, and even an alarm to signal you when the door is left open. With a Bosch Evolution refrigerator in the house, life is a lot cooler.

Door Alarm

To prevent energy waste and accidental food spoilage, this handy alarm gently notifies you when you've left the door open for over a minute.

Adjustable Tempered Glass Shelves

These shelves adjust up and down for maximum storage flexibility, and slide out for easy retrieval of food items stored in the back. Their spillproof design makes cleanup easy, while tough tempered glass resists cracking and chipping.

Exterior Ice and Water Dispenser

This convenient dispenser serves fresh, filtered water and both crushed and cubed ice on demand. Its large opening accommodates many cup and glass sizes easily.

Large Drawer Storage

Three large see-through drawers allow you to easily store, locate and retrieve food items. One-piece drawer construction allows for easy cleaning.

Dispenser Lock

This feature allows you to lock the dispenser controls, preventing small children from operating them or making adjustments without adult supervision.

Model shown: Evolution™ Refrigerator (B20C580SNS)

Evolution™ Refrigeration Specifications

Stainless Steel
(B20CS80SNS model shown)

Evolution Refrigerators

Bosch refrigerators are a stylish and technologically sophisticated food storage solution for today's modern kitchens. Their sleek European design features hidden hinges for a built-in look, brushed aluminum handles (800 Series only) and color-matched sides. Advanced technology like the Multi-flow Shower Cooling System ensures that food stays at the peak of freshness longer, while the practical external temperature control allows you to adjust the temperature while the door is closed to save energy.

Model Number
Outlook
Color Options
Capacity
Freezer (cu. ft.)
Fridge (cu. ft.)
Total (cu. ft.)
Freezer Compartment
Shelves
Drawers
Door Bins
Ice Maker
Refrigeration Compartment
Shelves
Egg Tray
Wine Shelf (Silver Metallic Coated)
Gallon Bin
Non-Gallon Bin
Dairy Bin
Drawers
TCD (Temp. Controlled Drawer)
General Features
Multi-flow Shower Cooling System
Electronic Temperature Control
Dispenser
SUPERCOOL™
SUPERFREEZE™
Dispenser Water and Crushed/Cubed Ice
Water Filter Reset
Ice Maker Lock
Dispenser Control Lock
Door Open Alarm
Handle
Special Features
Hidden Hinge
Color Matched Sides
Easy Moving Handles on Top Rear and Bottom
Adjustable Rollers (2 ea. in front)
Technical Data
Voltage/Frequency
Energy Consumption kWh/year
Amps
Dimensions Cabinets
Height (in.)
Width (in.)
Depth (in.)
Dimensions with Doors
Height (in.)
Width (in.)
Depth (in.)
Dimensions with Doors and Handles
Height (in.)
Width (in.)
Depth (in.)

B – Black, W – White, SS – Stainless Steel, SSL – Stainless Steel Look

Stainless Steel
(B20CS50SNS model shown)

Stainless Look
(B20CS50SNI model shown)

White w/Stainless Look Handle
(B20CS80SNW model shown)

White w/White Handle
(B20CS50SNW model shown)

Black w/Stainless Look Handle
(B20CS80SNB model shown)

Black w/Black Handle
(B20CS50SNB model shown)

Evolution 800 Series B20CS80SNx	**Evolution 500 Series** B20CS50SNx
B/W/SS	B/W/SS/SSL
7.48	7.48
12.53	12.71
20.01	20.19
3 Adjustable, Slide-Out, Glass	3 Adjustable, Slide-Out, Glass
2	2
4 (3 Tilt-Out)	4 (3 Tilt-Out)
•	•
3 Adjustable, Slide-Out, Spill-Proof Glass	3 Adjustable, Slide-Out, Spill-Proof Glass
•	•
•	
1	1
3	3
1	1
3	3
•	
•	•
Exterior Dispenser Big Opening, Soft Touch	Exterior Dispenser Big Opening, Soft Touch
•	•
•	•
•	•
•	•
•	•
•	•
•	•
Stainless Look Handle On All Color Variances	Matching Handle On All Color Variances
•	•
•	•
•	•
•	•
115V/60Hz	115V/60Hz
550	550
15	15
70 1/2"	70 1/2"
35 9/16"	35 9/16"
23 13/16"	23 13/16"
70 1/2"	70 1/2"
35 9/16"	35 9/16"
26 9/16"	26 9/16"
70 1/2"	70 1/2"
35 9/16"	35 9/16"
28 15/16"	28 15/16"



Warranty Information: BSH warrants that its Refrigerators are free from defects in materials and workmanship for a period of twelve (12) months from the Date of Installation. During the warranty period, BSH or its authorized service center will repair or replace, at its sole option, any Refrigerator that proves to have been defective under conditions of normal use without charge. All removed parts and components shall become the property of BSH, at BSH's option. All replaced and/or repaired parts shall assume the identity of the original part for purposes of this warranty and this warranty shall not be extended with respect to such parts. In the second through fifth years from the date of purchase, when this refrigerator is operated and maintained according to instructions attached to or furnished with the product, Bosch will pay for factory specified replacement parts and repair labor costs to correct defects in materials or workmanship in the sealed refrigeration system. These parts are: compressor, evaporator, condenser, dryer and connecting tubing. Service must be performed by a Bosch designated service company.

A **better** way to do laundry.

Model shown: Nexxt® 800 Series Washer (WFMC8401)

Bosch washers and dryers have been steadily advancing and improving since we introduced our first front-loading models in Europe over 50 years ago. Today, our machines are so advanced that our washers are the most energy efficient in America, using 76% less water and almost 72% less energy than conventional top-loading machines, while offering superior cleaning results and quieter operation. This powerful combination of efficiency, performance, value and engineering is what makes Bosch washers and dryers the best you'll ever own. **Invented for life.**

Models shown: Ne**xx**t® 800 Series Washer (WFMC8401) and Dryer (WTMC8321)

Caring for the environment and your clothes.

Bosch washers are the most efficient in the country. In fact, 900 billion gallons of water would be saved if everyone buying a new washer in 2007 purchased a Bosch washer rather than a conventional washer. Thanks to features like **ECO**SENSOR™ and **ECO**OPTION,™ our laundry pair delivers unrivalled efficiency. Plus, every one of our washers is ENERGY STAR® qualified, because we are committed to helping preserve our planet's resources, one home at a time.

J.D. Power and Associates ranked Bosch "Highest in Customer Satisfaction with Clothes Dryers."

Bosch received the highest numerical score with clothes dryers in the proprietary J.D. Power and Associates 2006 Major Home Appliance Study.℠ Study based on 12,656 total responses measuring 10 brands and measures opinions of consumers during the previous 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in July and September 2006. Your experiences may vary. Visit jdpower.com.

ECOOPTION

For ultimate efficiency, Bosch washers offer **ECO**OPTION, which adjusts water temperature and cycle length with the touch of a button to reduce energy consumption up to 20% per cycle.

ECOSENSOR

Bosch dryers offer this innovative monitoring system that delivers precise drying results, unrivalled efficiency and gentle care for your clothes. As your clothes dry, it reduces heat, so your laundry dries efficiently and without any unnecessary energy usage.

ENERGY STAR® Qualified

All Bosch laundry machines are ENERGY STAR® qualified, which has helped make Ne**xx**t washers the most efficient models on the market. They reduce energy consumption by 72% and water usage by 76%, compared to conventional top-loading models.

Spin Speed

Bosch washers spin your clothes at an extremely high speed, up to 1,200 rpm, helping to remove the most water possible before you move your clothes into the dryer. This minimizes energy usage during the drying process.

Quiet performance.

Our washers feature a virtually silent brushless motor, and our dryers have special sound-minimizing technology. Together, they help create the quietest laundry pair in the U.S.* So quiet, that they easily adapt to the evolving trend towards laundry machines in bedrooms and bedroom-adjacent closet spaces, rather than hiding them in basements or laundry rooms. This prevents you from having to carry heavy loads from one room to another, so doing laundry is more convenient than ever before.

*Front-loading category up to 3.81 cubic feet.

Nearly Silent Wash System

By combining a high-quality brushless motor system, a low-friction belt drive and specially engineered housing for additional sound insulation, Bosch washers are the quietest in the industry.

Exceptionally Quiet Drying

Our dryers are quieter than ever thanks to Bosch's development of specially designed noise-dampening technology. This innovation dramatically reduces sound output, changes the frequency of the sound and helps bring you the quietest laundry pair in the U.S.*

Models shown: Ne**xx**t® 500 Plus Series Washer (WFMC5321) and Dryer (WTMC5321)

Models shown: Ne**xx**t® 500 Plus Series Washer (WFMC5305) and Dryer (WTMC5325)

Gentle care your clothes deserve.

Bosch washers and dryers offer gentle care for your laundry because we understand that caring for your family's clothes is one way you care for your family. So we have combined features that deliver superior performance as well as gentleness such as **SENSO**TRONIC® PLUS, specially designed paddles and drying methods that protect the integrity of fabrics, without compromising cleanliness.

SENSOTRONIC **PLUS**

Tender loving care starts with technology. So we offer **SENSO**TRONIC PLUS, a network of sensors that analyze your wash, determining load size, temperature and more, then adjusts levels automatically to care gently for everything from wool to silk.

ARCHIE® Paddles

As your wash gently tumbles, Bosch's patented **ARCHIE** paddles cascade water from high above, rinsing away suds and giving your laundry a complete, gentle clean, without the use of a harmful agitator. Plus, an ingenious inclined drum helps to ensure that not a single shirt goes unturned.

Internal Water Heater

Many washer heaters operate on timers, which waste energy by heating longer than needed. Bosch washers have thermostats that monitor and automatically adjust and maintain the water to precisely the right temperature. So your clothes are washed thoroughly, efficiently and gently.

Gentle Drying

Bosch dryers blow a high volume of air at lower temperatures rather than overheating clothes like most dryers do. So your clothes are dried perfectly, keeping them beautiful for years to come, while using less energy than traditional drying methods.

Exceptional convenience, superior **performance.**

We work hard to make doing laundry the best it can be. With washers and dryers designed for superior performance and convenience that truly make a difference in day-to-day life. We have developed new wash and dry cycles, like our Jeans cycle and Comforter cycle that make doing laundry easier than ever. And since we are never content to compromise, our laundry machines are equipped with performance-oriented features such as extra-fast cycles and sanitization cycles which prove our machines are as serious about performance as they are about convenience.

XXTRASANITARY™ **Cycle**

Using a thermostat-controlled, intelligent sensor for improved precision, this innovative cycle heats up the water to 170°F and maintains this temperature for exactly 3 minutes. After killing 99.9% of most common household bacteria, the water temperature is reduced to a gentler 150°F to prevent fabric breakdown. Clothes are thoroughly cleaned and sanitized with no damage to the fibers.

KIDSCARE™ **Cycle**

The littlest people in the house usually account for the toughest stains. This cycle heats the wash water up to 150°F to remove even the most stubborn stains with ease.

Quick Wash 25 Cycle

When you're running short on time and you need clean clothes fast, this convenient cycle cleans lightly soiled loads in as little as 25 minutes.

New Jeans Cycle

Bosch has engineered a special wash program designed especially to care for denim. It features specific temperature and spin profiles to prevent fading, which prolongs the life of the fabric.

AQUAGUARD™ **Cycle**

This wash cycle has been engineered to waterproof ski apparel, rain gear and other breathable outerwear. Simply pour your waterproofing product into the dispenser chamber, select the **AQUA**GUARD program and renew the waterproof layer of your garment.

LIMITED WARRANTY TO CONSUMERS
Good Housekeeping
Promises
REPLACEMENT OR REFUND IF DEFECTIVE

Bosch Ne**xx**t Washers and Dryers are backed by the *Good Housekeeping* Seal of Approval —a two-year limited warranty.

Models shown: Ne**xt**® 100 Series Washer (WFMC1001) and Dryer (WTMC1301)

Nexxt® **Washer** Specifications

Nexxt **800 Series Washer** (Available in Silver/White Duo-Tone and White)

Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2007 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Machines • **SENSO**TRONIC® II PLUS Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,200 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage • **ECO**OPTION™ Saves Up to 20% in Energy Usage Per Cycle	• 54 dB Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • **XXTRA**SANITARY™ Cycle Kills 99% of Common Household Bacteria • **AQUA**GUARD™ Waterproofing Cycle • Rinse & Spin Cycle • 3 ARCHIE® Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean • Jeans Program • Comforter Program

Nexxt **500 Plus Series Washer** (Available in White and Silver)



Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2007 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Machines • **SENSO**TRONIC PLUS Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,100 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage • **ECO**OPTION Saves Up to 20% in Energy Usage Per Cycle	• 54 dB Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • Quick Wash 25 Cycle • Rinse & Spin Cycle • **XXTRA**SANITARY Cycle Kills 99% of Common Household Bacteria • 3 ARCHIE Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean • Jeans program

Nexxt **500 Series Washer** (Available in White and Silver)

Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water Than Conventional Top-Loading Models • **SENSO**TRONIC Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,100 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 54 dB dB Rating	• Snag-Free Stainless Steel Inclined Drum • Up To 5 Rinse Cycles • 15 Individually Tailored Washing Programs • Quick Wash 25 Cycle • **XXTRA**SANITARY Cycle Kills up to 99% of Common Household Bacteria • 3 ARCHIE Paddles Lift & Rotate Clothes While Cascading Water to Ensure a Complete & Even Clean

Nexxt® **300 Series Washer**

Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Models • **KIDS**CARE™ Cycle for Tough Stains • **SENSO**TRONIC® Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 1,000 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 56 dB Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 15 Individually Tailored Washing Programs • 3 ARCHIE® Paddles Lift & Rotate Clothes while Cascading Water to Ensure a Complete & Even Clean

Nexxt **100 Series Washer**



Efficiency	Quiet Performance	Gentle Care
• ENERGY STAR® Qualified – Meets 2006 Federal Standards • Uses 72% Less Energy and 76% Less Water than Conventional Top-Loading Models • **SENSO**TRONIC Plus Analyzes Your Washer for Appropriate Level and Temperature of Water • Up to 800 RPM Spin = Ultimate Water Extraction, Less Drying Time & Energy Usage	• 58 dB Rating	• Snag-Free Stainless Steel Inclined Drum • Up to 5 Rinse Cycles • 11 Individually Tailored Washing Programs • 3 ARCHIE Paddles Lift & Rotate Clothes while Cascading Water to Ensure a Complete & Even Clean

Nexxt® **Washer** Specifications

Nexxt 800 Series (WFMC8401UC model shown)

Model Number	**800 Series** WFMC840xUC
Core Features	
Color Options	SW/W
Capacity (cu. ft.)	3.81
Spin Speed	1,200 rpm
Water and Energy Efficiency	
Energy Use	151 kWh/y
Modified Energy Factor (MEF)	2.55
Water Factor (WF)	4.13
Annual Water Consumption	5,363
Silence Rating	
dB	54 dB
Design Elements	
Dial	Chrome
Door Handle Strip	Chrome
Bull's Eye Ring	Chrome (Outer Ring)
Button Color	Chrome
Features	
Internal Water Heater for Guaranteed Temperatures	•
Cycles	
Regular/Cotton – Cold, Warm, Hot, Temp Boost	Cold, Warm, Hot
Perma Press – Cold, Warm, Hot	•
Delicates/Silk	•
Hand Wash	•
Soak	
Drain	
Spin	
Wool	•
KIDSCARE™	•
Quick Wash 25	
XXTRASANITARY™ (170°)	•
Jeans	•
Comforter	•
AQUAGUARD™	•
Rinse & Spin	•
Optional Settings	
ECOOPTION™	•
Bleach	
Rinse Plus	•
Heavy Duty	•
Pre-Soak	•
Reduced Ironing	•
Time Delay	24 hrs.
Technical Data	
Supply Voltage	120V
Frequency	60Hz
Amperage	15A
Heating Wattage	1000W
UL	•

S – Silver, W – White, SW – Silver/White Duo-Tone

Nexxt 800 Series with Pedestals (WTZ1295P)

Nexxt 500 Plus Series with Pedestals (WTZ1295)



All models 100% quality tested.

LEARN MORE AT energystar.gov

500 Plus Series WFMC530xUC	**500 Series** WFMC330xUC	**300 Series** WFMC2201UC	**100 Series** WFMC1001UC
W/S	W/S	W	W
3.81	3.81	3.81	3.81
1,100 rpm	1,100 rpm	1,000 rpm	800 rpm
151 kWh/y	182 kWh/y	165 kWh/y	146 kWh/y
2.47	2.4	2.43	2.24
4.55	4.24	4.34	4.31
5,904	5,508	5,631	5,594
54 dB	54 dB	56 dB	58 dB
Chrome	White/Silver	White	White
Chrome	White/Silver	White	White
Chrome (Outer Ring)	Gray (Inner Ring)	Gray (Inner Ring)	Gray (Inner Ring)
Chrome	White/Silver	White	White
•	•	•	
Cold, Warm, Hot	•	Cold, Warm, Hot	Cold, Warm, Hot
•	•	Cold, Warm	•
•	•	•	•
•	•	•	•
•	•	•	•
	•	•	•
	•	•	•
•	•		
•		•	
•	•	•	
•	•		
•			
•			
•			
	•	•	•
•	•	•	•
•	•	•	
19 hrs.	19 hrs.	19 hrs.	3-6-9-12 hrs.
120V	120V	120V	120V
60Hz	60Hz	60Hz	60Hz
15A	15A	15A	15A
1000W	1000W	1000W	NONE
•	•	•	•

Washers and Dryers are UL approved. Ne**xx**t Laundry Systems warranty information: BSH warrants that its laundry products are free from defects in materials and workmanship for a period of 1 year for labor, 2 years for parts, 2 years on stainless steel drum and all electronic components including motor (parts only). Certain limitations apply. See manufacturer's limited warranty for details. Warranty only applies to manufacturer's defective merchandise, and does not cover third-party damages to the product, including, without limitation, damages incurred in shipping, installation, servicing, or through consumer abuse or negligence. This warranty is the sole and exclusive remedy for any defective product. Manufacturer's only obligation is to repair defective product or parts thereof; manufacturer has no obligation to replace product that is capable of being repaired.

Nexxt® **Dryer** Specifications

Nexxt **800 Series Dryer** (Available in Silver/White Duo-Tone and White)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR™ Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 64 dB Rating • Noise Dampening Technology	• 15 Tailored Drying Programs • Up to 3-hours Extended **WRINKLE**BLOCK® • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY® Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Nexxt **500 Plus Series Dryer** (Available in White and Silver)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dB Rating • Noise Dampening Technology	• 11 Tailored Drying Programs • 1-hour Extended **WRINKLE**BLOCK • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Ne**xxt**® **500 Series Dryer** (Available in White and Silver)

Efficiency	Quiet Performance	Gentle Care	
• **ECO**SENSOR™ Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dB Rating • Noise Dampening Technology	• 11 Tailored Drying Programs • 1-hour Extended **WRINKLE**BLOCK® • Snag-Free Stainless Steel Drum • High Air Volume, Low Heat Drying Philosophy Protects Fibers from Heat Damage	• **SYNCHRO**TECHNOLOGY® Coordinates Dryer Cycle Time with Washer Cycle Time – Preventing Wet Clothes From Waiting in Washer • 3 Asymmetric Paddles for 3-Dimensional Tumbling of Clothes for Faster, Gentler Drying

Nexxt® **Dryer** Specifications

Nexxt 800 Series (WTMC8321US model shown)

Model Number

Core Features
Color Options
Capacity (cu. ft.) (IEC)

Silence Rating
dB

Design Elements
Dial
Door Handle Strip
Button Color
Door Style
Bull's Eye Ring
Reversible Door Hinged on Right
Venting (Back, Bottom, & Right)
Display

Features
ECOSENSOR™
Stainless Steel Drum
WRINKLEBLOCK®
Drying Rack

Cycles
Regular Cotton – Extra Dry, Very Dry, Regular Dry, Damp Dry
Permanent Press – Very Dry, Regular Dry, Damp Dry
Mix – Very Dry, Regular Dry
Timed Dry
Air Fluff/No Heat
Heavy Load
Wool Care
Short

Optional Settings
Delicates/Low Temp.
Signal
Extended **WRINKLE**BLOCK®
Child Lock-Out Function

Technical Data
Supply Voltage
Frequency
Amperage
UL
BTU
CFM

S – Silver, W – White, SW – Silver/White Duo-Tone

Nexxt 800 Series with Pedestals (WTZ1295P)

Nexxt 500 Plus Series with Pedestals (WTZ1295)



All models 100% quality tested.

LEARN MORE AT energystar.gov

800 Series WTMC8321US/CN WTMC8521UC(Gas)	**500 Plus Series** WTMC532xUS/CN WTMC552xUC(Gas)	**500 Series** WTMC332xUS/CN WTMC352xUC(Gas)
SW	W/S	W/S
6.7	6.7	6.7
64 dB	67 dB	67 dB
Chrome	Chrome	White/Silver
Chrome	Chrome	White/Silver
Chrome	Chrome	White/Silver
See-Through	See-Through	See-Through
Chrome (Outer Ring)	Chrome (Outer Ring)	Gray (Inner Ring)
•	•	•
•	•	•
LCD	LED	LED
•	•	
•	•	•
3 Hrs.	1 Hr.	1 Hr.
Included	Included	Optional
•	•	•
•	•	•
•		
Up to 2 Hrs. in 10 Min. Increments	20, 40, 60 Min.	20, 40, 60 Min.
•	•	•
•		
•		
•		
•	•	•
•	•	•
•		
•		
240V(E)/120V(G)	240V(E)/120V(G)	240V(E)/120V(G)
60Hz	60Hz	60Hz
15A	15A	15A
•	•	•
18,500	18,500	18,500
176	176	176

Washers and Dryers are UL approved. Ne**xx**t Laundry Systems warranty information: BSH warrants that its laundry products are free from defects in materials and workmanship for a period of 1 year for labor, 2 years for parts, 2 years on stainless steel drum and all electronic components including motor (parts only). Certain limitations apply. See manufacturer's limited warranty for details. Warranty only applies to manufacturer's defective merchandise, and does not cover third-party damages to the product, including, without limitation, damages incurred in shipping, installation, servicing, or through consumer abuse or negligence. This warranty is the sole and exclusive remedy for any defective product. Manufacturer's only obligation is to repair defective product or parts thereof; manufacturer has no obligation to replace product that is capable of being repaired.

Models shown: A**xx**is® Washer (WFR2460) and A**xx**is Dryer (WTE86300)

Get **more** done with less.

Bosch laundry sets are efficient in more than just their use of energy and water. They also take space-efficiency to a higher level. A**xx**is stackable laundry pairs have an exceptionally small footprint, saving you valuable floor space. Plus, since A**xx**is Condensation Clothes Dryer does not require external ducting, you are freed from the higher installation costs of traditional units, and have greater flexibility in where to place the laundry pair within your home. And like all Bosch laundry machines, you can expect expert cleaning that always impresses.

Horizontal Axxis Wash System

Our exclusive horizontal A**xx**is wash system gets clothes unbelievably clean. With double the spin speed of conventional washers, clothes emerge needing less drying time, sparing them from the damage of excessive heat or overdrying. Combined with its remarkable water efficiency, the A**xx**is adds up to hundreds of dollars in savings per year.

Logixx™

While highly sophisticated, Bosch washing machines are also extremely easy to use, thanks to Logi**xx** controls, an innovative system that controls every part of the cycle, including the precise water levels, temperature, tumble action, time and speed, soak time, drum-reversing rhythms, spin speed and rinses.

Condensation Dryer — No Ducting Required

The A**xx**is Condensation Clothes Dryer condenses the moisture in the hot air to water and releases it through the water drain. No ducting and no blower is necessary to help expel hot air. This makes installation easy, fast and very cost effective. Its stackable design also allows this dryer to be installed virtually anywhere.

Pull-Out Tray

Bosch's A**xx**is dryers raise the bar on convenience. Available in the stacking kit, the pull-out tray gives you an easy place to situate a laundry basket and use it as a folding table for your warm, freshly dried clothes.

Axxis® **Washer** Specifications

A**xx**is **Plus Washer**



Efficiency	Quiet Performance	Gentle Care
• Horizontal A**xx**is® Wash System • **SENSO**TRONIC® II Plus • High-Efficiency Tumble Action Wash System • ENERGY STAR® Qualified • Detergent Efficiency System • Logi**xx**™ Control	• 54 dB Silence Rating	• Snag-Free Stainless Steel Horizontal Drum • Reduced Ironing Setting–Spins Your Clothes at a Gentler Speed and then Loosely Fluffs. • 6 Wash/Rinse Temperature

A**xx**is **Washer**



Efficiency	Quiet Performance	Gentle Care
• Horizontal A**xx**is Wash System • **SENSO**TRONIC Plus • High-Efficiency Tumble Action Wash System • ENERGY STAR® Qualified • Detergent Efficiency System • Logi**xx** Control	• 56 dB Silence Rating	• Snag-Free Stainless Steel Horizontal Drum • 5 Wash/Rinse Temperature

LEARN MORE AT
energystar.gov

Model Number	**Axxis® Plus Washer** WFR2460UC	**Axxis Washer** WFL2060UC	**Axxis Washer** WFL2090UC
Core Features			
Color Options	W	W	W
Drum Capacity (cu.ft.) (IEC)	2.1	2.1	2.1
Spin Speed	Up to 1,200 rpm	Up to 1,000 rpm	Up to 1,000 rpm
Silence Rating			
dB	54 dB	56 dB	56 dB
Water & Energy Efficiency			
Energy Usage	138 kWh	145 kWh	121 kWh
Annual Water Usage (Gallons)	4,281	4,755	4,755
ENERGY STAR® Qualified	•	•	•
Wash Programs			
Regular/Cotton Cold, Warm, Hot, Temp Boost, Power Temp Boost	•	•	•
Perm Press Cold, Warm, Hot	•	•	•
Delicates Warm, Cold	•	•	•
Handwashables Warm, Cold	•	•	•
Wash/Rinse Temperatures	6	5	5
Wash Options			
Display	LCD	LED	LED
Clock	•		
Quick Wash	•	•	•
Rinse Plus	•	•	•
Power Wash	•	•	•
Child Lock-Out Function	•		
Adjustable End-of-Cycle Signal	•		
Reduced Ironing	•		
Real Time Finish	•		
Delay Start	•		
Interactive Language Displays	•		
Advanced Features			
Internal Water Heater for Guaranteed Temperatures	•	•	•
Door Opening	11 7/8 Inches	11 7/8 Inches	11 7/8 Inches
High Efficiency Tumble Action Wash System	•	•	•
Stainless Steel Drum	•	•	•
Detergent Efficiency System with 3 Dispenser Chamber	•	•	•
SENSOTRONIC® Plus (Dynamic Load Sensor, Digital Temperature Sensor, Suds Sensor, Unbalance Sensor)		•	•
SENSOTRONIC II Plus (Dynamic Load Sensor, Digital Temperature Sensor, Continuous Suds Sensor, Unbalance Sensor)	•		
Technical Data			
Supply Voltage	208/240V	220-240V	120V
Frequency	60Hz	60Hz	60Hz
Amperage	15A	15A	15A
Heating	1440W	1350W	1800W
UL	UL Listed	UL Listed	UL Listed

W – White



Dimensions for WFR2460UC, WFL2090UC and WFL2060UC Washers

For planning only. For details, see Installation Manual. Specifications subject to change without notice. UL and CUL listed.
Stacked installation height approx. 67 4/16."

Washers and Dryers are UL approved. A**xx**is Laundry Systems warranty information: 1 year parts and labor; 2 years parts; 5 years on all electronic components (parts only); 5 years on motor/pump (parts only); 5 years against rust-through of cabinet (parts only); lifetime warranty against rust-through on stainless steel drums. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Axxis® **Dryer** Specifications

A**xx**is **Dryer** (condensation)

Efficiency	Quiet Performance	Gentle Care
• Condensation Drying System • Electronic Moisture Sensor Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dB Silence Rating	• Snag-Free Structured Stainless Steel Drum • Reverse Tumble Action • Low Heat Option • Easy Ironing Option

A**xx**is **Dryer**

Efficiency	Quiet Performance	Gentle Care
• Electronic Moisture Sensor Monitors the Drying Process to Make Sure the Proper Temperature is Maintained – Preventing Wasted Energy and Overdrying	• 67 dB Silence Rating	• Snag-Free Structured Stainless Steel Drum • Reverse Tumble Action • Low Heat Option • Easy Ironing Option

Model Number	**Axxis® Dryer (condensation)** WTE86300US	**Axxis Dryer** WTV76100US/CN
Core Features		
Color Options	W	W
Drum Capacity (cu.ft.)	3.95	3.9
Silence Rating		
dB	67 dB	67 dB
Cycles		
Timed Drying (40 min.)	•	•
Wool	•	
Touch Up	•	•
Short Program	•	
DUOTRONIC® Auto Dry Cycles – Regular/Cotton	4	4
DUOTRONIC Auto Dry Cycles – Permanent Press	3	3
Optional Settings		
Delicates/Low Heat	•	•
Easy Ironing	•	
Adjustable End-of-Cycle Signal	•	
Time Remaining Display	•	
Anticrease Feature (For 35-min. After Cycle)	•	
WRINKLEBLOCK® (Up to 1 Hour)	•	•
Delayed Start	Up to 19 Hours with 1 Hour Increments	
Lint Filter LED Indicator	•	•
Advanced Features		
Dry Sensor Control	Fully Electronic Moisture Sensor	Fully Electronic Moisture Sensor
Gentle Heat System	Temperature Sensors	Temperature Sensors
Stainless Steel Drum	•	•
Structured Drum	•	•
Touch Control	•	•
Accessories (Purchased Separately)		
Vertical Stacking Kit with Pull-Out-Tray	WTZ11300UC	WTZ11300UC
Vertical Stacking Kit without Pull-Out-Tray (4 Brackets and Screws)	WTZ11310UC	WTZ11310UC
Technical Data		
Supply Voltage	208/240V	208/240V
Frequency	60Hz	60Hz
Amperage	30A	13A
UL	UL Listed	UL Listed

W – White





Dimensions for WTE86300US (condensation dryer – no ducting required) and WTV76100US

For planning only. For details, see Installation Manual. Specifications subject to change without notice. UL and CUL listed.
Stacked installation height approx. 67 4/16" (with WTZ1180 stacking kit: approx. 68 13/16").
Depth including door is 25 13/16."

Washers and Dryers are UL approved. **Axx**is Laundry Systems warranty information: 1 year parts and labor; 2 years parts; 5 years on all electronic components (parts only); 5 years on motor/pump (parts only); 5 years against rust-through of cabinet (parts only); lifetime warranty against rust-through on stainless steel drums. Certain limitations apply. See Manufacturer's Limited Warranty for details.

Sometimes the **little** things make all the difference.

Bosch small appliances are now for sale online at **www.boschappliances.com**

Coffee Machines

Benvenuto® Gourmet Coffee Machines

With just the push of a button, the fully automatic Benvenuto grinds the beans while the revolutionary **AROMA**SWIRL® system extracts the maximum flavor for espresso or coffee you've only tasted from professional baristas in Italian cafés.

Barino® Espresso Pump Machine

Enjoying a sumptuous espresso each morning has never been easier than with the compact, stylish Barino Espresso Pump Machine. This deluxe personal espresso maker features a powerful pump and pressurized coffee filter baskets to take your home espresso experience to a whole new level.

Coffee Grinders

Nothing can match the flavor and aroma of fresh-ground coffee in the morning, and the Stainless Steel blades effortlessly grind your favorite beans to any coarseness you desire. It's also perfect for chopping nuts, milling seeds or grinding fresh spices without losing flavor.

There are certain things that can make an ordinary day seem special. Homemade ravioli, a steaming cup of espresso, even a freshly vacuumed room. At Bosch, our small appliances are engineered with innovative features and superior design to make these tasks as effortless as possible. And now they're effortless to buy as well. Just visit www.boschappliances.com, where you can now purchase our entire line of small appliances online and have them delivered to your home without ever having to leave the comfort of your chair.

Kitchen Machines

Concept Kitchen Machine
A large capacity mixing bowl, powerful 700-watt motor and a wide selection of accessories make the Concept Kitchen Machine an empowering addition to your culinary arsenal. It boasts a filling funnel in the bowl lid and dishwasher-safe parts, so mixing it up in the kitchen is easier than ever.

Universal Kitchen Machine
These versatile machines mix, blend, grind, slice, chop and more, allowing you to replace a whole host of bulky appliances with this single, streamlined device. A three-step motor with momentary pulse gives you an impressive degree of control, while delivering enough power to tackle the toughest projects.

Compact Kitchen Machine
Your new best friend in the kitchen, these devices deliver the same all-in-one versatility of our other kitchen machines, yet save valuable counter space with their compact footprint. And with all of the appliances they replace, you'll find your kitchen looking roomier than it ever has.

Vacuums

Premium Vacuum
Finally, a vacuum designed for the way people vacuum. Bosch engineers worked for three years, designing and testing each element of the Premium Series vacuums, to not only improve cleaning effectiveness, but also making vacuuming easier, faster and more comfortable. From its cutting-edge filtration to its fingertip controls, the Premium Series is the pinnacle of modern-day vacuum engineering.

Formula® Vacuum
This vacuum filters the air so thoroughly, the air is cleaner when it leaves than when it enters. And it features a variable-speed motor to tackle everything from hardwoods to curtains effortlessly. So not only does it help keep your home spotless, it makes the air fresher and healthier in the process.

Compact Plus Health Guard Vacuum
This multi-speed vacuum with neatly integrated tools can clean a wide variety of surfaces, from silk curtains to hardwood floors. Its compact, lightweight and sturdy design allows for easy storage and maneuverability. The large, self-sealing dust bag means fewer bag changes for you, and an exceptional HEPA active filtration system leaves your home cleaner and healthier.

Bosch home appliances
5551 McFadden Avenue
Huntington Beach, CA 92649
1.800.944.2904
www.boschappliances.com

Bosch home appliances Canada
5800 Explorer Drive, Suite 310
Mississauga, Ontario, L4W 5K9
1.800.554.9043
www.bosch-appliances.ca

BOSCH
Invented for life

Printed on paper containing 50% total recycled fiber with 10% post-consumer waste.

©2007 BSH Home Appliances Corporation. ©2007 BSH Home Appliances Ltd. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

Dealer Locator: 1.800.866.2022

SAP#2800001391

Litho Date: 6/2007